

AMENDED

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office... MAY 28 1991
Returned to applicant for correction... JUL 03 1991
Corrected application filed... JUL 08 1991
Map filed... JUL 08 1991

The applicant Merle B. Steele and Richard D. Davis
5425 N. Rainbow, of Las Vegas, Nevada 89130

hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

1. The source of the proposed appropriation is an underground source

2. The amount of water applied for is 0.0016 second-feet

(a) If stored in reservoir give number of acre-feet

3. The water to be used for commercial purposes

4. If use is for:

(a) Irrigation, state number of acres to be irrigated

(b) Stockwater, state number and kinds of animals to be watered

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point within the Southwest Quarter (SW 1/4) of the Southeast Quarter (SE 1/4) of Section 23, Township 22 South, Range 60 East, M.D.B.&M., Clark County, Nevada or at a point of Section 23 bears South 32°42'04" West a distance of 568.27 feet.

6. Place of use is a portion of the Southwest Quarter (SW 1/4) Southeast Quarter (SE 1/4) of Section 23, Township 22 South, Range 60 East, M.D.B.&M., Clark County, Nevada.

7. Use will begin about January 1st and end about December 31st, of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) well and two hundred (200) feet of one (1) inch water line to an office building.

9. Estimated cost of works twelve thousand dollars

10. Estimated time required to construct works..... one year
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use..... two years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

The water will be used for an office, building, repair shop and landscape watering as required by Clark County. The amount of water will not exceed 1034 gallons per day average of 377,000 gallons annually.

By s/Merle B. Steele
5425 N. Rainbow Blvd.
Las Vegas, NV 89130

Compared bc/bc pm/se

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0016 cubic feet per second, but not to exceed 0.377 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before November 19, 1993

Proof of completion of work shall be filed on or before December 19, 1993

Application of water to beneficial use shall be made on or before November 19, 1996

Proof of the application of water to beneficial use shall be filed on or before December 19, 1996

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed DEC 10 1993

Proof of beneficial use filed JAN 15 1998

Cultural map filed.....

Certificate No..... Issued.....

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E., State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 19th day of November

A.D. 19 91

[Signature]
State Engineer