

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office JUN 20 1991

Returned to applicant for correction

Corrected application filed Map filed JUL 31 1991

The applicant Gillian Roberts

P.O. Box 2619 of Minden Nevada, 89423

hereby make application for permission to change the

Point of Diversion, Place of Use and Manner of Use of a Portion of water heretofore appropriated under Permit #22224, certificate #5983

Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.

1. The source of water is underground

2. The amount of water to be changed 0.0083 c.f.s.

3. The water to be used for Quasi-Municipal and Domestic

4. The water heretofore permitted for Irrigation and Domestic

5. The water is to be diverted at the following point SE 1/4 NW 1/4, Section 9, T.12N., R.19E., M.D.B.&M. or at a point from which the North 1/4 corner said Section 9 bears N. 10° 56' 32" E. a distance of 2384.51'

6. The existing permitted point of diversion is located within NW 1/4 SE 1/4 Section 17, T.12N., R.21E., M.D.B.&M. or at a point from which the NW corner of Section 18 bears N. 22° 50' W. a distance of 9504.00'

7. Proposed place of use Portions of the SE 1/4 NW 1/4, NE 1/4 SW 1/4, Section 9, T.12N., R.19E., M.D.B.&M.

8. Existing place of use a portion of the NW 1/4 SE 1/4, Section 17, T.12N., R.21E., M.D.B.&M. 1.5 acres being removed from irrigation as depicted on the supporting map.

9. Use will be from January 1 to December 31 of each year.

10. Use was permitted from January 1 to December 31 of each year.

11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) drilled encased well, pump, motor, pressure tank, distribution system to 4 homes.

12. Estimated cost of works \$50,000.00

13. Estimated time required to construct works 2 years

14. Estimated time required to complete the application of water to beneficial use..... 5 years.....

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

Water will be used for four (4) individual dwelling units.

By s/Jack D. Ferris
THIEL, WINCHELL & ASSOCIATES, INC.
34 Lakes Blvd., Suite 101
Dayton, Nevada 89403

Compared..... bc/bc..... am/se.....

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 22224, Certificate 5983 is issued subject to the terms and conditions imposed in said Permit 22224, Certificate 5983 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 0.0083..... cubic feet per second, but not to exceed 6 acre-feet..... annually.....

Work must be prosecuted with reasonable diligence and be completed on or before..... December 30, 1993

Proof of completion of work shall be filed before..... January 30, 1994

Application of water to beneficial use shall be made on or before..... December 30, 1996

Proof of the application of water to beneficial use shall be filed on or before..... January 30, 1997

Map in support of proof of beneficial use shall be filed on or before..... N/A

Completion of work filed.....

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.
State Engineer of Nevada, have hereunto set my hand and the seal of my

Proof of beneficial use filed.....

office, this... 30th... day of December.....

Cultural map filed.....

A.D. 19⁹¹

Certificate No..... Issued.....

[Signature]
State Engineer

port 64642 0.0029 cont. 04/17/01
ADJUSTED BY 62819 0.0055 - cont. 10/31/01