

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office JUL 05 1991

Returned to applicant for correction

Corrected application filed Map filed JUL 05 1991

The applicant Beatrice Floyd Post Office Box 296 of Pahrump Nevada 89041

hereby make S application for permission to change the Point of Diversion

of water heretofore appropriated under Permit 48170

1. The source of water is Underground

2. The amount of water to be changed 0.1011 c.f.s., 20.965 mga

3. The water to be used for Quasi-Municipal & Domestic

4. The water heretofore permitted for Quasi-Municipal & Domestic

5. The water is to be diverted at the following point SW 1/4 SE 1/4 Section 8, T.20S., R.53E., MDB&M, or at a point from which the S 1/4 corner of said Section 8 bears South 64 0 57' West, 1361 feet

6. The existing permitted point of diversion is located within SW 1/4 SE 1/4 Section 8, T.20S., R.53E., MDB&M, or at a point from which the S 1/4 corner of said Section 8 bears South 37 0 26' West, 320.81 feet

7. Proposed place of use Sunset Mobile Home Park within the SW 1/4 SE 1/4 Section 8, T.20S., R.53E., MDB&M

8. Existing place of use no change

9. Use will be from January 1 to December 31 of each year

10. Use was permitted from January 1 to December 31 of each year

11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) well, pump, motor and distribution system

12. Estimated cost of works \$30,000.00

13. Estimated time required to construct works 1 year

14. Estimated time required to complete the application of water to beneficial use 10 years

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

Please send copies of all notices and correspondence to Eugene and Edna Scheppmann, 2375 E. Tropicana Avenue, Las Vegas, NV 89119

By s/Bruce R. Scott
Bruce R. Scott, Resource Concepts, Inc.
340 North Minnesota Street
Carson City, Nevada 80703

Compared bc/bc am/se

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit to change the point of diversion of the waters of an underground source as heretofore granted under Permit 48170 is issued subject to the terms and conditions imposed in said Permit 48170 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 48633 and 56512 shall not exceed 20.965 million gallons annually.

The issuance of this permit expires temporary Permit 56513-T.

The well drilled under Permit 48170 shall be plugged within 30 days from the issuance of this permit in accordance with the Nevada Well Drilling Regulations.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.1011 cubic feet per second, but not to exceed 20.965 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before May 1, 1992

Proof of completion of work shall be filed before June 1, 1992

Application of water to beneficial use shall be made on or before May 1, 1993

Proof of the application of water to beneficial use shall be filed on or before June 1, 1993

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed JUN 05 1997

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.
State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this 18th day of November,

A.D. 19 91

[Signature]
State Engineer