

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office OCT 24 1991

Returned to applicant for correction

Corrected application filed Map filed OCT 24 1991 under 56552

The applicant Downtown Griz Corporation

#2 Delta Circle of Carson City

Nevada 89701 hereby make application for permission to change the

Point of Diversion, Place and Manner of Use of a Portion

of water heretofore appropriated under Permit 52962

Identify right in Decree

1. The source of water is an Underground Source

2. The amount of water to be changed 8.38 acre-feet annually (0.0832 CFS - see remarks)

3. The water to be used for Quasi-Municipal Purposes

4. The water heretofore permitted for Irrigation

5. The water is to be diverted at the following point within the NE 1/4 NE 1/4 of Section 33, T.14N., R.20E., M.D.B.&M., or at a point from which the NW corner of said Section 33 bears N 68° 38' West, 2,676 feet (Mt. View Water System - Well No. 1).

6. The existing permitted point of diversion is located within the SE 1/4 NW 1/4 of Section 2, T.13N., R.20E., M.D.B.&M., or at a point from which the NW corner of said Section 2 bears N 50° 04' 21" West, 2,320 feet.

7. Proposed place of use See Attachment

8. Existing place of use 2.095 acres in the SW 1/4 NE 1/4 of Section 2, T.13N., R.20E., M.D.B.&M., Douglas County, Nevada (This Application and Application 56552 remove all of the water right under Permit 52962 appurtenant to 2.6 acres in the SW 1/4 NE 1/4 of said Section 2).

9. Use will be from January 1 to December 31 of each year.

10. Use was permitted from May 1 to October 15 of each year.

11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Well, storage tank (606,800 gallons) and distribution system).

12. Estimated cost of works \$100,000

13. Estimated time required to construct works Well Completed - 220-foot well with 12-inch casing and a 75 HP motor and totalizing meter.

14. Estimated time required to complete the application of water to beneficial use 5 years

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

The diversion rate shown under Item 2 is a proportion of the diversion rate granted under Permit 52962 (0.4053 CFS) based on the ratio of the acre feet being transferred to the acre feet granted under Permit 52962 (40.8 acre feet) The purpose of this Application is to allow the Applicant to dedicate water rights to Douglas County as necessary by Deed without filing numerous water right applications every time a transfer is required.

By s/B. J. Vasey
P.O. Box 247
Minde, NV 89423

Compared bc/bc cl/cmg

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 52962 is issued subject to the terms and conditions imposed in said Permit 52962 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0832 cubic feet per second, but not to exceed 8.38 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before March 29, 1997

Proof of completion of work shall be filed before April 29, 1997

Application of water to beneficial use shall be made on or before March 29, 2000

Proof of the application of water to beneficial use shall be filed on or before April 29, 2000

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed MAY 29 1997

Proof of beneficial use filed APR 24 2001

Cultural map filed.....

Certificate No. 15854 Issued SEP 27 2001

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P. E.
State Engineer of Nevada, have herunto set my hand and the seal of my
office, this 29th day of March

A.D. 1995

[Signature]
State Engineer

ATTACHMENT

7. Proposed Place of Use

The NW 1/4 and the W 1/2 of the SW 1/4 of Section 1; all of Sections 2, 3, and 4; the NE 1/4 and the E 1/2 of the NW 1/4 of Section 10; the N 1/2 of Section 11 and the W 1/2 of the NW 1/4 of Section 12; T.13N., R.20E., M.D.B.&M.

The SE 1/4 and the S 1/2 of the NE 1/4 of Section 20; the S 1/2 and the S 1/2 of the NW 1/4, and the SW 1/4 of the NE 1/4 of Section 21; the SW 1/4 of the SW 1/4 of Section 22; the E 1/2 of Section 29; all of Sections 26, 27, 28, 33, 34, and 35; the E 1/2 of Section 32 and the W 1/2 of Section 36, T.14N., R.20E., M.D.B.&M.

