

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office NOV 04 1991

Returned to applicant for correction

Corrected application filed

Map filed NOV 04 1991

The applicant Glen A. L. Dodd and Laura J. Dodd

10680 S. Haven, of Las Vegas

Nevada 89123, hereby make application for permission to appropriate the public

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) N/A

1. The source of the proposed appropriation is an underground source in the Las Vegas Valley basin

2. The amount of water applied for is 0.02 second-feet

(a) If stored in reservoir give number of acre-feet

3. The water to be used for commercial purposes (plant nursery)

4. If use is for:

(a) Irrigation, state number of acres to be irrigated

(b) Stockwater, state number and kinds of animals to be watered

(c) Other use (describe fully under No. 12. "Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point within the SW 1/4 NW 1/4 of Section 28, Township 22 South, Range 61 East, M.D.B. & M., at a point that bears N 20° 21' 25" E, a distance of 1,096.4 feet from the SW corner of the NW 1/4 of said Section 28.

6. Place of use within the SW 1/4 NW 1/4 of Section 28, Township 22 South, Range 61 East, M.D.B. & M.

7. Use will begin about Jan. 1 and end about Dec. 31, of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) well, pump, pressure tank and distribution piping

- 9. Estimated cost of works \$15,000.00
- 10. Estimated time required to construct works existing well drilled in 1976;
If well completed, describe works.
additional appurtenances required - 2 years
- 11. Estimated time required to complete the application of water to beneficial use 5 years
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:
Water to be used in a plant nursery. Estimated consumptive use -
3 million gallons per year.

s/ Stephen F. Turner
 By 1210 Hinson Street
Las Vegas, NV 89102

Compared iv/mv ab/se

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The annual duty issued under this permit includes the water needed for the nursery stock, non-related nursery use and domestic service to the residence at this location. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to

exceed 0.02 cubic feet per second, but not to exceed 1.46 million gallons annually.


- Work must be prosecuted with reasonable diligence and be completed on or before December 16, 1995
- Proof of completion of work shall be filed before January 16, 1996
- Application of water to beneficial use shall be filed on or before December 16, 1998
- Proof of the application of water to beneficial use shall be filed on or before January 16, 1999
- Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed FEB 20 1996
 Proof of beneficial use filed _____
 Cultural map filed _____

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.
 State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this 16th day of December

A.D. 1993


 State Engineer

Certificate No. AUG 31 2001 BECAUSE OF FAILURE
 OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT
J. J. J. J. J. STATE ENGINEER