

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office NOV 15 1991

Returned to applicant for correction DEC 09 1991

Corrected application filed _____

Map filed DEC 17 1991

The applicant Daniel F. Sullivan

415 So. Nev St Apt D, of Carson City
Street and No. or P.O. Box No. City or Town

Nev 89703, hereby make application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is underground
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is .01 second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet _____

3. The water to be used for commercial
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated _____

(b) Stockwater, state number and kinds of animals to be watered _____

(c) Other use (describe fully under No. 12. "Remarks") _____

(d) Power:

(1) Horsepower developed _____

(2) Point of return of water to stream _____

5. The water is to be diverted from its source at the following point within the SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 18,
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
T.10N., R.22E., M.D.B.&M. or at a point from which the E $\frac{1}{2}$ corner of said Section
18 bears S 80° 03' 14" E a distance of 831.08 feet.

6. Place of use within the SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 18, T.10N., R.22E., M.D.B.&M. and
Describe by legal subdivision. If on unsurveyed land, it should be so stated.
within the NE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 18, T.10N., R.22E., M.D.B.&M.

7. Use will begin about January 1 and end about December 31, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) drilled well to pneumatic tank
State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

flumes, drilled well with pump and motor, etc.

- 9. Estimated cost of works.....\$10,000.....
- 10. Estimated time required to construct works.....3 years.....
If well completed, describe works.
- 11. Estimated time required to complete the application of water to beneficial use.....5 years.....
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:
25 washers in a laundromat and 3 bathrooms

By s/Daniel F. Sullivan
415 So Nev St Apt D
Carson City NV 89703

Compared bc/ bc cl/bk

Protested

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

(CONTINUED ON PAGE 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.01 cubic feet per second, but not to exceed 0.967 million gallons annually.

- Work must be prosecuted with reasonable diligence and be completed on or before March 10, 2001
- Proof of completion of work shall be filed before April 10, 2001
- Application of water to beneficial use shall be filed on or before March 10, 2003
- Proof of the application of water to beneficial use shall be filed on or before April 10, 2003
- Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed
Proof of beneficial use filed
Cultural map filed
Certificate No. Issued

IN TESTIMONY WHEREOF, I, MICHAEL TURNIDSEED, P.E. State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 10th day of March A.D. 1998

Michael Turnidseed P.E.
State Engineer

(PERMIT TERMS CONTINUED)

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.

