

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office NOV 21 1991

Returned to applicant for correction

Corrected application filed Map filed NOV 21 1991

The applicant Donald Carl Fox

5255 Twin Springs Road of Reno Nevada, 89510

Street and No. or P.O. Box No. City or Town State and Zip Code No. hereby make S application for permission to change the

Point of Diversion and Place of Use Point of diversion, manner of use, and/or place of use

of water heretofore appropriated under all of Permit No. 51003 Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.

1. The source of water is underground Name of stream, lake, underground spring or other source.

2. The amount of water to be changed 0.01105 cfs 8.0 acre feet annually Second feet, acre feet. One second foot equals 448.83 gallons per minute.

3. The water to be used for Irrigation and Domestic Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

4. The water heretofore permitted for Irrigation and Domestic Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

5. The water is to be diverted at the following point the NE 1/4 of the SW 1/4 of Section 30, Township 22 North, Range 22 East, Mount Diablo Meridian at a point from which the south 1/4 corner of said Section 30 bears South 12° 13' 13" East, 2230.74 feet. Describe as being within a 40-acre subdivision of public survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.

6. The existing permitted point of diversion is located within the SE 1/4 of SE 1/4 of Section 16 Township 22 North, Range 21 East, Mount Diablo Meridian, at a point from which the southeast corner of said Section 16 bears South 44° 08' 50" East, 140.46 feet. If point of diversion is not changed, do not answer.

7. Proposed place of use portions of the NE 1/4 of the SW 1/4, the SE 1/4 of the NW 1/4 and the NE 1/4 of the NW 1/4 of Section 30, Township 22 North, Range 22 East, Mount Diablo Meridian, 2.0 acres the exact location to be determined later. Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.

8. Existing place of use 2.0 acres within the SE 1/4 of the SE 1/4 of Section 16, Township 22 North, Range 21 East, Mount Diablo Meridian. Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.

9. Use will be from January 1 to December 31 of each year. Month and Day

10. Use was permitted from January 1 to December 31 of each year. Month and Day

11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) drilled well, pump and pipeline State manner in which water is to be diverted, i.e. diversion structure, ditches, pipes and flumes, or drilled well, etc.

12. Estimated cost of works \$50,000

13. Estimated time required to construct works 3 Years

14. Estimated time required to complete the application of water to beneficial use..... 5 Years

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

See Map No. 51003 for existing point of diversion and place of use.

By s/George G. Lindesmith
GEORGE G. LINDESMITH
801 GREENBRAE DRIVE
SPARKS, NEVADA 89431

Compared..... bc/bc ab/se

Protested.....

APPROVAL.....OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 51003 is issued subject to the terms and conditions imposed in said Permit 51003 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

This permit is limited to the irrigation of 2.0 acres within the described place of use.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 0.01105 cubic feet per second, but not to exceed 8.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before..... September 9, 1995

Proof of completion of work shall be filed before..... October 9, 1995

Application of water to beneficial use shall be made on or before..... September 9, 1998

Proof of the application of water to beneficial use shall be filed on or before..... October 9, 1998

Map in support of proof of beneficial use shall be filed on or before..... October 9, 1998

Completion of work filed.....

Proof of beneficial use filed.....

Cultural map filed.....

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.
State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 9th day of September

A.D. 19 93

[Signature]
State Engineer
CANCELED BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT
* REALTY CORNER PORTION ONLY

Certificate No. ~~.....~~ Issued ~~.....~~
CANCELED BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT
[Signature]
STATE ENGINEER
* REALTY CORNER PORTION ONLY
* CON. AFFIRMED 12-22-97 ROLLING NO. 4593