

(PERMIT TERMS CONTINUED)

The well shall be sealed with cement grout, concrete grout or neat cement to the first confining layer or to 100 feet, whichever is greater. Prior to the sealing, the well, the permittee shall contact the Division of Water Resources to review the lithology.



**APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office..... DEC 23 1991Returned to applicant for correction..... JAN 08 1992

Corrected application filed.....

Map filed..... JAN 24 1992The applicant..... Lane Holmes200 Rosemary Lane of Las Vegas,
Street and No. or P.O. Box No. City or TownNevada 89107, hereby make application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is..... an underground source
Name of stream, lake, spring, underground or other source2. The amount of water applied for is..... 0.1 CFS second-feet
One second-foot equals 448.83 gals. per min.(a) If stored in reservoir give number of acre-feet..... N/A3. The water to be used for..... quasi-municipal purposes
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated..... N/A(b) Stockwater, state number and kinds of animals to be watered..... N/A(c) Other use (describe fully under No. 12. "Remarks")..... see item no. 12

(d) Power:

(1) Horsepower developed..... N/A(2) Point of return of water to stream..... N/A5. The water is to be diverted from its source at the following point..... NE $\frac{1}{4}$ SW $\frac{1}{2}$ of Section 28, T21S, R63E,
Describe as being within a 40-acre subdivision of publicMDB&M, or at a point from which the Center quarter (C $\frac{1}{4}$) corner of said Section
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.28, T21S, R63E, MDB&M, bears North 70°31'00" East a distance of 1061.0 feet.6. Place of use..... Northwest quarter (NW $\frac{1}{4}$) of the Northeast quarter (NE $\frac{1}{4}$) of the Southwest
Describe by legal subdivision. If on unsurveyed land, it should be so stated.quarter (SW $\frac{1}{4}$) of Section 28, T21S, R63E, MDB&M, Clark County, Nevada.7. Use will begin about..... January 1st and end about..... December 31st, of each year.
Month and Day Month and Day8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.)..... Drill 8" steel cased well, install 5hp
State manner in which water is to be diverted, i.e. diversion structure, ditches andsubmersible pump, storage tank,
flumes, drilled well with pump and motor, etc.pressure tanks, booster pump, totalizing meter, and appurtenances.

- 9. Estimated cost of works \$20,000.00
- 10. Estimated time required to construct works one year
If well completed, describe works.
- 11. Estimated time required to complete the application of water to beneficial use three years.
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

Well to service four houses.

By s/Robert Fulstone Agent
Fulstone Enterprises, Inc.
940 S. Martin L. King Blvd.
Las Vegas, Nevada 89106

Compared bc/bc ap/se
 Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

(CONTINUED ON PAGE 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.1 cubic feet per second, but not to exceed 1.46 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before October 21, 1994
 Proof of completion of work shall be filed before November 21, 1994
 Application of water to beneficial use shall be filed on or before October 21, 1997
 Proof of the application of water to beneficial use shall be filed on or before November 21, 1997
 Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed _____
 Proof of beneficial use filed _____
 Cultural map filed _____
 Certificate No. _____ Issued _____

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.
 State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this 21st day of October

A.D. 1992

[Signature]
 State Engineer

CANCELLED FEB 09 2000 BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT
[Signature] STATE ENGINEER