AMENDED

No. 57621

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office MAY 07 1992

Returned to applicant for correction JUN 11 1992

Corrected application filed AUG 13 1992

Map filed AUG 10 1992

The applicant Thomas Jarrett

1927 Canterbury Dr (Street and No. or P.O. Box No.), of Las Vegas (City or Town),

Nevada 89119 (State and Zip Code No.), hereby make.... application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground (Name of stream, lake, spring, underground or other source)

2. The amount of water applied for is 0.1 second-feet (One second-foot equals 448.83 gals. per min.)

   (a) If stored in reservoir give number of acre-feet

3. The water to be used for Quasi-Municipal (Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.)

4. If use is for:

   (a) Irrigation, state number of acres to be irrigated

   (b) Stockwater, state number and kinds of animals to be watered

   (c) Other use (describe fully under No. 12. "Remarks"

   (d) Power:

      (1) Horsepower developed

      (2) Point of return of water to stream

5. The water is to be diverted from its source at the following point SE¼ of the NW¼ Section 24, (Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.) T.19S., R.60E., M.D.B&M. or on a bearing of S 71° 58' 00" W 2710.00 feet to the W¼ corner Section 24, T.19S., R.60E., M.D.B.&M.

6. Place of use SE¼ of the NE¼ of the SE¼ of the NW¼ Section 24, T.19S., R.60E., (Describe by legal subdivision. If on unsurveyed land, it should be so stated.) M.D.B&M

7. Use will begin about Jan 1st (Month and Day) and end about Dec 31st (Month and Day), of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) underground pump to storage tanks to (State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.) surge tanks through pipes to houses

9. Estimated cost of works $20,000

10. Estimated time required to construct works 2 years
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use 2 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

To serve 4 houses on 1/2 acre Lots - annual consumptive use 1.6 million gallons

By Kenneth D. Farrimond
s/Kenneth D. Farrimond
3407 S. El Camino Road
Las Vegas, Nev. 89102

Compared bc/bc ab/vw

Protested

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.1 cubic feet per second, but not to exceed 1.46 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before May 10, 1996

Proof of completion of work shall be filed before June 10, 1996

Application of water to beneficial use shall be filed on or before May 10, 1999

Proof of the application of water to beneficial use shall be filed on or before June 10, 1999

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed

Proof of beneficial use filed

Cultural map filed

Certificate No. Issued

WITHDRAWN BY APPLICANT AUG 25 1998

STATE ENGINEER

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E. State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 10th day of May, A.D. 1994

State Engineer

(O)-2145 (Rev. 9-89)