

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office AUG 31 1992
Returned to applicant for correction OCT 05 1992
Corrected application filed DEC 03 1992 Map filed DEC 03 1992

The applicant Nevada Cogeneration Associates #1 and #2
420 N. Nellis Blvd.; #A3-148 & #A3-117 of Las Vegas
Nevada 89110
hereby make... application for permission to change the
Point of Diversion
of water heretofore appropriated under Permit No. 55270

- 1. The source of water is Underground
2. The amount of water to be changed 1.15 C.F.S.
3. The water to be used for Industrial (Cogeneration Power Plant)
4. The water heretofore permitted for Industrial (Cogeneration Power Plant)
5. The water is to be diverted at the following point Within a portion of the Northeast Quarter (NE 1/4) of the Southeast Quarter (SE 1/4) of Section 13, Township 19 South, Range 63 East, M.D.B. & M. or at a point from distance to a section corner. If on unsurveyed land, it should be stated. which the South Quarter (S 1/4) corner of said Section 13 bears South 40° 37' 41" W 3243.05 Feet.
6. The existing permitted point of diversion is located within A portion of the Northwest Quarter (NW 1/4) of the Northeast Quarter (NE 1/4) of Section 13, Township 19 South, Range 63 East, M.D.B. & M. or at a point from which the North Quarter (N 1/4) of said Section 13 bears North 55° 00' 00" West a distance of 114.00 Feet.
7. Proposed place of use Within a portion of the SW 1/4 NW 1/4, NW 1/4 SW 1/4, and NE 1/4 SW 1/4 of Section 7, Township 20 South, Range 64 East, M.D.B. & M. approximately 14.5 acres and within a portion of the SE 1/4 NE 1/4 and SW 1/4 NE 1/4 of Section 34, Township 18 South, Range 63 East, M.D.B. & M. approximately 23.5 acres.
8. Existing place of use Same as proposed
9. Use will be from January 1 to December 31 of each year.
10. Use was permitted from January 1 to December 31 of each year.
11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drilled well with pump and motor, pipelines to place of use
12. Estimated cost of works \$2,000,000.00
13. Estimated time required to construct works 2 years

14. Estimated time required to complete the application of water to beneficial use... 3 years

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

Anticipated 1.15 CFS continuous flow or 832.57 AF per year.

By s/Gary L. Haub
420 N. Nellis Blvd., #A3-148 & #A3-117
Las Vegas, NV 89110

Compared bk/se ab/se

Protested 2/12/93 by L Las Vegas Valley Water District

Pro. overruled 4/5/93;

Ruling No. 3950

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion of the waters of an underground source as heretofore granted under Permit 55270 is issued subject to the terms and conditions imposed in said Permit 55270 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 55269, 58031 and 58032 shall not exceed 1665 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued subject to the State Engineer's Ruling No. 3950 dated April 5, 1993, with the exception that Item 5 of the ruling is hereby waived.

The issuance of Permit 58031 expires Permit 58130-T.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 1.15 cubic feet per second, but not to exceed 832.57

acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before September 11, 1993

Proof of completion of work shall be filed before October 11, 1993

Application of water to beneficial use shall be made on or before September 11, 1995

Proof of the application of water to beneficial use shall be filed on or before October 11, 1995

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed AUG 4 - 1993

Proof of beneficial use filed

Cultural map filed

Certificate No. Issued

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,
State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this 28th day of May

A.D. 19 93

[Signature]
State Engineer