

NO. 58387

**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office DEC 10 1992

Returned to applicant for correction _____

Corrected application filed _____

Map filed DEC 10 1992

The applicant **Ronald B. Adams and Sandra L. Adams**, hereby make application for permission to change the **Point of Diversion and Place of Use of a portion and manner of use** of water heretofore appropriated under **Permit # 14576 Certificate # 5329 (Fan Water)**

1. The source of water is **underground source**
2. The amount of water to be changed **0.0063 C.F.S. but not to exceed 3 acre feet**
3. The water to be used for **Irrigation and Domestic**
4. The water heretofore permitted for **Irrigation**
5. The water is to be diverted at the following point **within the SW4 SW4 Section 34, Township 19 South, Range 53 East M.D.B.&M. The SW corner of said Section 34 bears S 37 28'00" W a distance of 1150.00 feet**
6. The existing permitted point of diversion is located within **the SE4 NW4 Section 34, Township 19 South, Range 53 East M.D.B.&M. The N4 corner of said Section 34 bears N 0 57'00" E a distance of 2553.00 feet**
7. Proposed place of use **within the SW4 SW4 and within the NW4 SW4 Section 34, Township 19 South, Range 53 East M.D.B.&M. 3 acre feet to be irrigated**
8. Existing place of use **within the S2 NW4 Section 34, Township 19 South, Range 53 East M.D.B.&M. 160 acres irrigated, 2.949 acres of an acre to be removed, 3 acre feet to be stripped within the SW4 NW4 Section 34**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **300' of well casing, 7½ HR pump, 200 Gal. pressure tank thru 1" and 2" plastic lines**
12. Estimated cost of works **\$25,000.00**
13. Estimated time required to construct works **2 years, Existing 8" well casing 300' deep with a 7½ HR pump.**
14. Estimated time required to complete the application of water to beneficial use **4 years**
15. Remarks:

s/Richard L. Hafen Agent
By **Richard L. Hafen, Agent**
2383 Gateway Road
Las Vegas, Nevada 89115

Compared hf/cmf hf/cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use, and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 14576, Certificate 5329 is issued subject to the terms and conditions imposed in said Permit 14576, Certificate 5329 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

If any water under this permit is cancelled, withdrawn, or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right.

Permit 58387 is restricted to the irrigation of 0.60 acres within the described place of use.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0063 cubic feet per second, but not to exceed 3.0 acre-feet annually, and not to exceed a yearly duty of 5.0 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and be completed on or before:

August 24, 2001

Proof of completion of work shall be filed before:

September 24, 2001

Water must be placed to beneficial use on or before:

August 24, 2003

Proof of the application of water to beneficial use shall be filed on or before:

September 24, 2003

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 24th day of, August A.D. 2000


State Engineer

Completion of work filed OCT 29 2001

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____