

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office... DEC 31 1992
Returned to applicant for correction... FEB 17 1993
Corrected application filed... APR 16 1993
Map filed... APR 16 1993 under 58449

The applicant... COEUR ROCHESTER, INC.
P.O. Box 1057, Lovelock, Nevada 89419
Street and No. or P.O. Box No., City or Town, State and Zip Code No.

hereby make... application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

Delaware corporation qualified in Nevada on October 24, 1985

- 1. The source of the proposed appropriation is... Underground
2. The amount of water applied for is... .1 cfs
3. The water to be used for... Mining and Milling
4. If use is for: (a) Irrigation, state number of acres to be irrigated... (b) Stockwater, state number and kinds of animals to be watered... (c) Other use (describe fully under No. 12. "Remarks"... (d) Power: (1) Horsepower developed... (2) Point of return of water to stream...

5. The water is to be diverted from its source at the following point... Within the NW 1/4 of the SE 1/4 of Section 15, T.28N., R.34E., M.D.M., from which the West 1/4 Corner of said Section 15 bears survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated. N 75° 20' 42" W. a distance of 3442.41 feet.

6. Place of use... The NE 1/4 of the SW 1/4, SE 1/4 of the SW 1/4, NE 1/4 of the SE 1/4, SE 1/4 of the SE 1/4, SW 1/4 of the SE 1/4 and NW 1/4 of the SE 1/4 of Section 15, NE 1/4 of the NW 1/4, SE 1/4 of the NW 1/4, NE 1/4 of the SW 1/4, NW 1/4 of the SE 1/4, NE 1/4 of the NE 1/4, SE 1/4 of the NE 1/4, SW 1/4 of the NE 1/4 and NW 1/4 of the NE 1/4 of Section 22, T.28N., R.34E., M.D.M.

7. Use will begin about... January 1 and end about... December 31, of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Developed and lined sump or collection basin, installed pump, motor and piping system.

9. Estimated cost of works.....\$10,000

10. Estimated time required to construct works.....Complete
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use.....5 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

Water is collected in sump and pumped into existing system. This application is not seeking an additional volume of water. Rather, it is to be commingled with existing sources.

By s/Robert Martinez
P.O. Box 1057
Lovelock, Nevada 89419

Compared.....bc/bc jr/bk

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level.

A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 44613, 44614, 44615, 44616, 48783, 48785, 48789, 48790, 49612, 49613, 49614, 58449 and 58450 shall not exceed 628.0 million gallons annually.

(CONTINUED ON PAGE 2)
The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....0.1.....cubic feet per second, but not to exceed 23.59 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before.....October 29, 1995

Proof of completion of work shall be filed before.....November 29, 1995

Application of water to beneficial use shall be filed on or before.....October 29, 1997

Proof of the application of water to beneficial use shall be filed on or before.....November 29, 1997

Map in support of proof of beneficial use shall be filed on or before.....N/A

Completion of work filed.....DEC 06 1995

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No..... Issued.....

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.
State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this.....23rd.....day of.....August.....

A.D. 1995

[Signature]
State Engineer

(PERMIT TERMS CONTINUED)

This permit is issued under the preferred use provisions of NRS Chapter 534. The manner of use of water under this permit is by nature of its activity a temporary use and any application to change the manner of use granted under this permit will be subject to additional determination and evaluation with respect to the permanent effects on existing rights and the resource within the ground water basin.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Monthly records shall be kept of the volume of water pumped under this permit and all other permits issued for this project. These records shall be submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.