

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... MAR 05 1993

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... JUN 21 1944 under 9327

The applicant..... Pine Development, Inc. (A Nevada Corporation)

1514 So. Eastern Ave. of Las Vegas, Nevada 89104

hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

(If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) April 17, 1992 Carson City, Nevada

1. The source of the proposed appropriation is Surprise Spring

2. The amount of water applied for is 0.50 c.f.s. second-foot

(a) If stored in reservoir give number of acre-feet

3. The water to be used for Quasi-Municipal & Domestic

4. If use is for:

(a) Irrigation, state number of acres to be irrigated

(b) Stockwater, state number and kinds of animals to be watered

(c) Other use (describe fully under No. 12. "Remarks") Rustic camps & cabins, fire protection, wildlife watering & habitat

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point In the SE 1/4 SE 1/4, Sec. 12, T.19S.,

R.56E., M.D.B.&M., or at a point from which the S.E. corner of said Sec. 12

bears S. 12° 32' E, 852 feet

6. Place of use S 1/2 SW 1/4, Sec. 7, T.19S., R.57E., and E 1/2 Sec 12, T.19S., R.56E., All in

M.D.B.&M. (will be used in conjunction with application to change Permit 9327

(now owned by applicant) filed this date)

7. Use will begin about Jan 1 and end about Dec. 31, of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) works of diversion complete

State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

9. Estimated cost of works..... complete

10. Estimated time required to construct works..... complete  
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use..... 10 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

Please use map under 9327 to support this application. This application is made to obtain permission to appropriate the excess waters of Surprise Spring (i.e. 0.8 c.f.s. assured when 9327 filed Proof of Beneficial Use, see P.B.U in 9327) but only 0.3 C.F.S. used at that time.

By s/Larry C. Reynolds, Agent  
P.O. Box 2111  
Carson City, Nevada 89702

Compared..... bc/bc ab/vw

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to all existing rights on the source. It is understood that the 0.5 c.f.s., herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to a beneficial use. A suitable measuring device must be installed and accurate measurements of the water placed to a beneficial use must be included in the proof of such use when filed. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 58584 and 58585 shall not exceed 93.53 acre-feet annually.

This permit is subject to the condition that the permittee must ensure that wildlife which have customarily used such water will have access thereto, NRS 533.367.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Any diversion rate above the 0.3 cubic feet per second as issued under Permit 58584 must allow sufficient water to serve Permit 40346, Certificate 12398 at its place of use.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.5 cubic feet per second, but not to exceed 93.53 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before..... April 19, 1996

Proof of completion of work shall be filed before..... May 19, 1996

Application of water to beneficial use shall be filed on or before..... April 19, 1999

Proof of the application of water to beneficial use shall be filed on or before..... May 19, 1999

Map in support of proof of beneficial use shall be filed on or before..... N/A

Completion of work filed..... JUL 29 1995

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No..... Issued.....

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E. State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this 19th day of April

A.D. 1994

*R. Michael Turnipseed P.E.*  
State Engineer