

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office... MAY 04 1993
Returned to applicant for correction... MAY 17 1993
Corrected application filed... MAY 18 1993
Map filed... JUN 15 1993

The applicant Jerry L. Garvin
3420 Townhouse Drive, of Las Vegas, Nevada
Street and No. or P.O. Box No. City or Town State and Zip Code No.

hereby make... application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is an underground source
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 0.1 CFS second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet n/a

3. The water to be used for commercial purposes
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated n/a

(b) Stockwater, state number and kinds of animals to be watered na/

(c) Other use (describe fully under No. 12. "Remarks" see item no. 12

(d) Power:

(1) Horsepower developed n/a

(2) Point of return of water to stream n/a

5. The water is to be diverted from its source at the following point SW 1/4 SW 1/4 Section 9, T22S, R61E,
Describe as being within a 40-acre subdivision of public

MDM, from which the Southwest corner of said Section 9, T22S, R61E, MDM, bears survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.

S. 36° 47' 30" W. a distance of 989.0 feet.

6. Place of use The East one-hundred thirteen feet (E 113') of Government Lot 127 being
Describe by legal subdivision. If on unsurveyed land, it should be so stated.

a portion of the Southwest one-quarter (SW 1/4) of the Southwest one-quarter (SW 1/4)

of Section 9, and the Southwest one-quarter (SW 1/4) of the Northeast one-quarter

(NE 1/4) of the Southwest one-quarter (SW 1/4) of the Southwest one-quarter (SW 1/4)

of Section 9, T22S, R61E, MDM, Clark County, NV.

7. Use will begin about June 1st and end about May 31st, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drill 8" steel cased well, install 3hp

submersible pump, piping, meter and appurtenances.
State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$6000.00

10. Estimated time required to construct works one year
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use three years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

Well to be used for existing tennis court/resort business.

(Las Vegas Sports Resort and Tennis Court)

By s/Robert Fulstone Agent
Fulstone Enterprises, Inc.
940 S. Martin L. King Blvd.
Las Vegas, NV 89106

Compared bc/bc ab/se

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of the State Engineer's Order No. 1054 dated April 15, 1992, amended.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to

exceed 0.1 cubic feet per second, but not to exceed 0.657

million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before December 16, 1994

Proof of completion of work shall be filed before January 16, 1995

Application of water to beneficial use shall be filed on or before December 16, 1996

Proof of the application of water to beneficial use shall be filed on or before January 16, 1997

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed AUG 22 1994

Proof of beneficial use filed _____


Cultural map filed _____

Certificate No. _____ Issued _____

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.
State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this 16th day of December

A.D. 1993


State Engineer