

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office JUL 9 1993
Returned to applicant for correction AUG 25 1993
Corrected application filed Map filed OCT 12 1993

The applicant Nevada Ready Mix
P.O. Box 42725 of Las Vegas
Nevada 89116 hereby make... application for permission to change the
Place of Use
of water heretofore appropriated under Permit No. 20326

- 1. The source of water is Las Vegas Artesian Basin
2. The amount of water to be changed 1.0 C.F.S.
3. The water to be used for Industrial
4. The water heretofore permitted for Industrial
5. The water is to be diverted at the following point from a point which bears S.43°45" W
6. The existing permitted point of diversion is located within
7. Proposed place of use NW 1/4 Sec. 11, T.21S., R.62E., M.D. B.&M.
8. Existing place of use SW 1/4 NE 1/4 Sec. 3, T.21S., R.62E., M.D. B & M.
9. Use will be from January 1 to December 31 of each year.
10. Use was permitted from January 1 to December 31 of each year.
11. Description of proposed works. Existing well is 190 feet deep with 12" casing and two submersible 20 h.p. pumps pumping through 5000 feet of 8" pipeline.
12. Estimated cost of works \$155,000.00
13. Estimated time required to construct works Existing well is 190 feet deep with 12" casing and two submersible 20 h.p. pumps pumping through 5000 feet of 8" pipeline.

14. Estimated time required to complete the application of water to beneficial use.....Water has been put to beneficial use.

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

Annual consumptive use of 1.0 cfs as permitted.

By s/ Darrell E. Thornton, President
P.O. Box 42725
Las Vegas, NV 89110

Compared gkl/ jv

Protested.....

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed.....cubic feet per second.....

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed before.....

Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before.....

Completion of work filed.....

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No..... Issued.....

IN TESTIMONY WHEREOF, I, _____,
State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this.....day of.....

A.D. 19.....

State Engineer

WITHDRAWN BY APPLICANT **FEB 04 1994**
[Signature]
STATE ENGINEER