

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office AUG 04 1993

Returned to applicant for correction

Corrected application filed Map filed AUG 04 1993 under 59098

The applicant A & A Dairy

3550 Tarzyn Road of Fallon Nevada 89406

hereby make application for permission to change the

Point of Diversion, Place of use, & manner of use

of water heretofore appropriated under permit #53796

1. The source of water is under ground source

2. The amount of water to be changed .25 CFS not to exceed 21.18 MGA

3. The water to be used for commercial and domestic

4. The water heretofore permitted for Quasi-Municipal & Domestic

5. The water is to be diverted at the following point Located within a portion of the SW 1/4-NW 1/4 Sec. 8, T.19N., R.29E., M.D.B.&M from a point that bears N 89° 28' 52" W a distance of 1439.7 feet from the center 1/4 corner of said Sec 8.

6. The existing permitted point of diversion is located within The NE 1/4-SE 1/4 Sec 35, T.19N., R.28E., M.D.B.&M from a point that bears S 14° 59' 30" W a distance of 1159.48 feet from the E 1/4 corner of said Sec. 35

7. Proposed place of use W 1/2-SW 1/4 Sec 9, SE 1/4, E 1/2-SW 1/4, and the SE 1/4-NW 1/4 of Sec. 8 all in T.19N., R.29E., M.D.B.&M consisting of approx. 360 Ac.

8. Existing place of use NE 1/4-SE 1/4 of Sec. 35, T.19N., R.28E., M.D.B.&M consisting of approx. 40 Acres.

9. Use will be from Jan 1 to Dec 31 of each year.

10. Use was permitted from Jan 1 to Dec 31 of each year.

11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Pump, motor, pressure tank distribution lines to clean & water a dairy operation

12. Estimated cost of works \$25,000.00

13. Estimated time required to construct works an existing 8" well approx. 500' deep, additional time required 6 months.

14. Estimated time required to complete the application of water to beneficial use 2 years

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

~~This application will be in combination with the change of permit #53795 and used to operate a dairy consisting of approx. 1000 milkers and 500 other cattle. The water will be used for watering and cleanup of the dairy. This point of diversion will be the secondary water source and the combined usage from both wells will not exceed 21.18 MGA.~~

By s/Barry A. Fitzpatrick  
Barry A. Fitzpatrick, SWRS 817  
137 Keddie Street  
Fallon, NV 89406

Compared bc/bc

Protested \_\_\_\_\_

\_\_\_\_\_  
OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed \_\_\_\_\_ cubic feet per second.

Work must be prosecuted with reasonable diligence and be completed on or before \_\_\_\_\_

Proof of completion of work shall be filed before \_\_\_\_\_

Application of water to beneficial use shall be made on or before \_\_\_\_\_

Proof of the application of water to beneficial use shall be filed on or before \_\_\_\_\_

Map in support of proof of beneficial use shall be filed on or before \_\_\_\_\_

Completion of work filed \_\_\_\_\_

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed \_\_\_\_\_

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_

IN TESTIMONY WHEREOF, I, \_\_\_\_\_,  
State Engineer of Nevada, have hereunto set my hand and the seal of my  
office, this \_\_\_\_\_ day of \_\_\_\_\_,  
A.D. 19 \_\_\_\_\_

\_\_\_\_\_  
State Engineer

WITHDRAWN BY AGG/MS SEP 08 1993

*[Handwritten Signature]*  
STATE ENGINEER