

AMENDED NO. 59177
**APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office AUG 26 1993
Returned to applicant for correction SEP 28 1993
Corrected application filed NOV 29 1993
Map filed NOV 29 1993 under 59177

The applicant **Transco Power Company**, hereby makes application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

1. The source of the proposed appropriation is **underground**
2. The amount of water applied for is **0.2 cfs, not to exceed 40 acre feet annually** second-feet
 - (a) If stored in reservoir give number of acre-feet
3. The water to be used for **industrial (see item 12)**
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated
 - (b) Stockwater, state number and kinds of animals to be watered
 - (c) Other use (describe fully under No. 12. "Remarks")
 - (d) Power:
 - (1) Horsepower developed
 - (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point **SE $\frac{1}{4}$ SE $\frac{1}{4}$ S. 13, T.24S., R.62E., M.D.B.&M.** or at a point from which the southeast corner of Section 13, T.24S., R.62E., M.D.B.&M. bears south 11°19' east a distance of 1682.0 feet.
6. Place of Use **east one-half (E $\frac{1}{2}$) southeast one-quarter (SE $\frac{1}{4}$) Section 13, T.24S., R.62E., M.D.B.&M.**
7. Use will begin about **January 1** and end about **December 31**, of each year.
8. Description of proposed works **Drilled well with minimum 12 inch casing to approximate depth of 800 to 1000 feet. Submersible or line shaft turbine pump to deliver 50 to 100 gpm.**
9. Estimated cost of works **\$100,000**
10. Estimated time required to construct works **Three (3) months after receipt of necessary approvals.**
11. Estimated time required to complete the application of water to beneficial use **Four (4) to seven (7) years depending on contract award (by Nevada Power Co.) to purchase power.**

12. Remarks: For this general location in Eldorado Valley, the combined annual consumptive use under all applications for air pollution control is estimated to be 35 acre feet. Incidental use for domestic purposes (toilets, wash rooms) plant maintenance and landscape irrigation will be approximately 5 acre feet. The water will be used to control air emissions when certain fuels are used to generate electricity.

By s/Robert J. Haupt for William T. Molloy
William T. Molloy
Transco Power Company
2800 Post Oak Boulevard
Houston, Texas 77056-6106

Compared cl/bk

Protested _____

DENIAL OF STATE ENGINEER

This application is hereby denied on the grounds that the applicant has not submitted the information requested by the State Engineer's office and that without this information the granting of this application would threaten to prove detrimental to the public interest.

Work must be prosecuted with reasonable diligence and be completed on or before: _____

Proof of completion of work shall be filed before: _____

Application of water to beneficial use shall be filed on or before: _____

Proof of the application of water to beneficial use shall be filed on or before: _____

Map in support of proof of beneficial use shall be filed on or before: _____

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 23rd day of August, A.D. 2000

Hugh Ricci, P.E.
State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____