

# ASSIGNED

Serial No. **59785**

## APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office FEB 24 1994 NEW PRIORITY DATE: OCT 24 1996Returned to applicant for correction MAY 18 1994Corrected application filed JUN 2 1994 under 59784  
Map filedThe applicant Carlos A. Valladares5358 S. Eastern Ave. of Las Vegas  
Street and No. or P.O. Box No. City or TownNevada 89119 hereby make... application for permission to change the  
State and Zip Code No.Point of Diversion

Point of diversion, manner of use, and/or place of use

of water heretofore appropriated under Permit #57525, by Carlos A. Valladares  
Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.

1. The source of water is Underground source  
Name of stream, lake, underground spring or other source.
2. The amount of water to be changed 0.06 C.F.S.  
Second feet, acre feet. One second foot equals 448.83 gallons per minute.
3. The water to be used for Quasi-Municipal purposes  
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
4. The water heretofore permitted for Quasi-Municipal purposes  
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
5. The water is to be diverted at the following point SE $\frac{1}{4}$  NE $\frac{1}{4}$  Section 6, T20s, R60E, MDBM, or at  
Describe as being within a 40-acre subdivision of public survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.  
a point from which the East one-quarter corner (E $\frac{1}{4}$ ) of said Section 6, T20S, R60E, MDM bears South 13° 22' 00" East a distance of 1311.0 feet.
6. The existing permitted point of diversion is located within SE $\frac{1}{4}$  NE $\frac{1}{4}$  Section 6, T20S, R60E, MDM, or  
If point of diversion is not changed, do not answer.  
at a point from which the East one-quarter corner (E $\frac{1}{4}$ ) of said Section 6, T20S, R.60E, MDM bears South 03° 22' 08" East a distance of 991.00 feet.
7. Proposed place of use A portion of East one-half(E $\frac{1}{2}$ ) of the North East one-quarter  
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.  
(NE $\frac{1}{4}$ ) of the South East one-quarter(SE $\frac{1}{4}$ ) of the North East one-quarter(NE $\frac{1}{4}$ ), of Section 6, T20S, R60E, MDM, Clark County, Nevada
8. Existing place of use A portion of East one-half(E $\frac{1}{2}$ ) North East one-quarter (NE $\frac{1}{4}$ ) of  
Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.  
the South East one-quarter(SE $\frac{1}{4}$ ) of the North East one-quarter (NE $\frac{1}{4}$ ), of Section 6, T20S, R60E, MDM, Clark County, Nevada
9. Use will be from January 1st to December 31st of each year.  
Month and Day Month and Day
10. Use was permitted from January 1st to December 31st of each year.  
Month and Day Month and Day
11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Well is existing, but not yet complete.  
State manner in which water is to be diverted, i.e. diversion structure.  
Work to be done, install 3Hp submersible pump, meter, piping, and appurtenances.  
ditches, pipes and flumes, or drilled well, etc.
12. Estimated cost of works \$7000 +/-
13. Estimated time required to construct works 1 year to complete. Well is currently a 6" steel cased well.

14. Estimated time required to complete the application of water to beneficial use..... 3 years

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

Well is to service two houses that permit# 52168 did not cover. This application is to amend the Point of Diversion to where the well is actually drilled. All data shown on original application (Item #5) except Point of Diversion remains the same.

By..... s/Robert Fulstone Agent

Fulstone Enterprises, Inc.  
940 S. Martin Luther King Blvd.  
Las Vegas, Nv. 89106

Compared..... pm/gkl jr/bk

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion of the waters of an underground source as heretofore granted under Permit 57525 is issued subject to the terms and conditions imposed in said Permit 57525 and with the understanding that no other rights on the source will be affected by the change proposed herein. This permit is issued subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 59784 and 59785 shall not exceed 2.92 million gallons annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.06 cubic feet per second, but not to exceed 0.73 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before..... July 20, 1996

Proof of completion of work shall be filed before..... August 20, 1996

Application of water to beneficial use shall be made on or before..... July 20, 1998

Proof of the application of water to beneficial use shall be filed on or before..... August 20, 1998

Map in support of proof of beneficial use shall be filed on or before..... N/A

Completion of work filed..... APR 30 1997

Proof of beneficial use filed.....

Cultural map filed.....

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.  
State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 20th day of July

A.D. 19 95

[Signature]  
State Engineer

Certificate No. \_\_\_\_\_ Issued DEC 31 1996  
**CANCELLED** **BECAUSE OF FAILURE**  
**OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT**  
[Signature]  
**STATE ENGINEER**  
Can. Rescinded 4-30-97