

TEMPORARY

Serial No. **59864 T**

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office. MAR 28 1994

Returned to applicant for correction. _____

Corrected application filed. _____ Map filed MAR 28 1994

The applicant City of Los Angeles, Department of Water and Power
Attention: William H. Beckley, Agent
P.O. Box 111, Room 1029 of Los Angeles
Street and No. or P.O. Box No. City or Town

California 90051 hereby make... application for permission to change the
State and Zip Code No.

point of diversion and place of use of a portion
Point of diversion, manner of use, and/or place of use

of water heretofore appropriated under Permit No. 58575
Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and

identify right in Decree. _____

1. The source of water is Underground - Temporary Construction Well
Name of stream, lake, underground spring or other source.

2. The amount of water to be changed .31 cfs (12 million gallons)
Second feet, acre feet. One second foot equals 448.83 gallons per minute.

3. The water to be used for Industrial/Construction Purposes
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

4. The water heretofore permitted for Industrial/Construction Purposes
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

5. The water is to be diverted at the following point within the NW $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section
Describe as being within a 40-acre subdivision of public survey and by course and
36, T.24S, R.62E, M.D.B.&M. or at a point from which the NW corner of
distance to a section corner. If on unsurveyed land, it should be stated.

said Section 36 bears N28° 14' 40" W at a distance of 1055.25 feet.

6. The existing permitted point of diversion is located within the SW $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section
If point of diversion is not changed, do not answer.

2 T.25S, R.62E, M.D.B.&M. or at a point from which the E $\frac{1}{4}$ corner of said

Section 2 bears S.75° 04' 47" E, a distance of 1778.26 feet situated in
Clark County, State of Nevada.

7. Proposed place of use (refer to attached Exhibit A for Proposed Place of Use).
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.

8. Existing place of use Marketplace Switching Station and McCullough Switching
Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or

Station as described in Item 7 above.
manner of use of irrigation permit, describe acreage to be removed from irrigation.

9. Use will be from January 1 to December 31 of each year.
Month and Day Month and Day

10. Use was permitted from January 1 to December 31 of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and

specifications of your diversion or storage works.) 15 inch hole with 8 inch casing, 650
State manner in which water is to be diverted, i.e. diversion structure,

feet deep equipped with 25 horsepower pump with 3 inch discharge pipe.
ditches, pipes and flumes, or drilled well, etc.

12. Estimated cost of works. \$90,000

13. Estimated time required to construct works Well completed - Refer to Item 11 for
description.

1 year

14. Estimated time required to complete the application of water to beneficial use.....

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

This will be used for construction purposes and will supply 24 million gallons of the 35 million gallons of construction water approved under Permit No. 58575.

By s/ Wm. H. Beckley P.O. Box 111, Room 1029 Los Angeles, California 90051

Compared ab/ js ab/vw

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This temporary permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 58575 is issued subject to the terms and conditions imposed in said Permit 58575 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This temporary permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This temporary permit is issued pursuant to the provisions of NRS 533.345 Section 2 and will expire on April 13, 1995 at which time all rights herein granted shall revert to the right being changed by this temporary permit.

(CONTINUED ON PAGE 2)

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.31 cubic feet per second, and not to exceed 12.0 million gallons total.

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed before.....

Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before.....

Completion of work filed.....

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No. Issued.....

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E. State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 14th day of April

A.D. 19 94

[Signature] State Engineer

TEMPORARY

TEMPORARY

EXPIRED DATE APR 13 1995

(PERMIT TERMS CONTINUED)

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

The total combined duty of water under Permits 49049, 58575, 59713-T and 59864-T shall not exceed 35.96 million gallons total for the one year period from the date of approval of Permit 59864-T.

The 35.0 million gallon amount of construction water under Permit 58575 shall be reduced equally by the total combined amount of water consumed under Permits 59713-T and 59864-T.



EXHIBIT A

7. Proposed Place of Use:

McCullough Switching Station - Those portions of Section 2 T.25S, R.62E, M.D.B. & M. which includes portions of the NE $\frac{1}{4}$, NW $\frac{1}{4}$, SE $\frac{1}{4}$, and SW $\frac{1}{4}$ of the NE $\frac{1}{4}$, portions of the NE $\frac{1}{4}$ and SE $\frac{1}{4}$ of the NW $\frac{1}{4}$, a portion of the NW $\frac{1}{4}$ of the SE $\frac{1}{4}$ and a portion of the NE $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 2.

Marketplace Switching Station - Located in portions of Section 25, 26, 35, and 36 of T.24S, R.62E., M.D.B. & M. which includes a portion of the SW $\frac{1}{4}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 25, portion of the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 26, portion of the NE $\frac{1}{4}$, and SE $\frac{1}{4}$ of Section 35 and portion of the W $\frac{1}{2}$ W $\frac{1}{2}$ NW $\frac{1}{4}$ of Section 36.

Vicinity of Proposed and Existing Access Roads - Located within the NE $\frac{1}{4}$, NW $\frac{1}{4}$, and SW $\frac{1}{4}$ of Section 2, and NW $\frac{1}{4}$ of Section 1, T.25S R.62E, M.D.B. & M. and within the SW $\frac{1}{4}$ of Section 36, the SE $\frac{1}{4}$ of Section 35, the SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 35, the NW $\frac{1}{4}$ of Section 36, the SW $\frac{1}{4}$ of Section 25, and SE $\frac{1}{4}$ of Section 26, T.24S R.62E, M.D.B. & M.

