

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... APR 12 1994

Returned to applicant for correction..... JUN 10 1994

Corrected application filed..... AUG 09 1994

Map filed..... AUG 09 1994

The applicant..... LEON SPROUSE

P. O. BOX 315, of NEOLA, NEVADA

UTAH 84053, hereby make.... application for permission to appropriate the public

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is..... UNDERGROUND

2. The amount of water applied for is..... 1800 ga. per day second-feet

(a) If stored in reservoir give number of acre-feet.....

3. The water to be used for..... commercial and Domestic

4. If use is for:

(a) Irrigation, state number of acres to be irrigated.....

(b) Stockwater, state number and kinds of animals to be watered.....

(c) Other use (describe fully under No. 12. "Remarks")..... (see reverse side)

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point..... within the SW 1/4 SW 1/4 of Section

4, T23S, R61E, MDM; being North 84° 39' 22" E 1234.50 feet from the SW corner

of said Sec. 4, a BLM brass cap dated 1956.

6. Place of use..... SW 1/4 SW 1/4 & the SE 1/4 SW 1/4 Sec. 4, T23S, R61E, M.D.M.

7. Use will begin about..... January 1..... and end about..... December 31....., of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) well, pumps and required piping

State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

9. Estimated cost of works..... \$2,000.00

10. Estimated time required to construct works..... 60 days
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use..... 60 days

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

A continued use for the established single family residence and expanded use to a proposed convenience store.

By s/Leon Sprouse
P. O. Box 315
Neola, Utah 84053

Compared..... bc/bc pm/

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

(CONTINUED ON PAGE 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 0.0028 cubic feet per second..... but not to exceed 0.72 acre feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before..... December 29, 1996.

Proof of completion of work shall be filed before..... January 29, 1997.

Application of water to beneficial use shall be filed on or before..... December 29, 1999.

Proof of the application of water to beneficial use shall be filed on or before..... January 29, 2000.

Map in support of proof of beneficial use shall be filed on or before..... N/A

Completion of work filed..... JAN 29 1997

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No..... Issued.....

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.
State Engineer of Nevada, have hereunto set my hand and the seal of my office, this..... 29th day of..... December..... A.D..... 94

[Signature]
State Engineer

(PERMIT TERMS CONTINUED)

This permit is issued solely for the commercial use. The domestic use is implied by NRS 534.180.

This permit is issued subject to the State Engineer's Amended Order 1054 dated April 15, 1992.

The totalizing meter shall be placed in a manner that will measure only the amount of water that serves the commercial used and not the domestic use.