

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office JUN 21 1994

Returned to applicant for correction

Corrected application filed 6-21-94 proposed POD/POU exist. Map filed POD: 2-12-79 under 36759 ex. POU

The applicant Craig Quinney 7320 Rosada Way of Las Vegas Nevada 89129

hereby make.s application for permission to change the point of diversion, manner of use and place of use of a portion of water heretofore appropriated under Permit number 36759, Certificate number 12526

1. The source of water is underground source

2. The amount of water to be changed 0.00185 CFS, one acre foot

3. The water to be used for domestic use

4. The water heretofore permitted for Quasi - Municipal purposes

5. The water is to be diverted at the following point Northeast one-quarter (NE 1/4) of the Southwest one-quarter (SW 1/4) of Section 34, T19S, R60E, MDM, or at a point from which the center one-quarter (C 1/4) of said Section 34, T19S, R60E, MDM, bears North 66°01'38" East a distance of 973.4 feet.

6. The existing permitted point of diversion is located within Southeast one-quarter (SE 1/4) of the Northwest one-quarter (NW 1/4) of Section 1, T21S, R61E, MDM, or at a point from which the West one-quarter (W 1/4) corner of said Section 1, T21S, R61E, MDM, bears South 73°07'50" West a distance of 2117.80 feet.

7. Proposed place of use Portion of the Southwest one-quarter (SW 1/4) of the Southeast one-quarter (SE 1/4) of the Northwest one-quarter (NW 1/4) of the Northeast one-quarter (NE 1/4) of the Southwest one-quarter (SW 1/4) of Section 34, T19S, R60E, MDM, being Lot 1 of Parcel Maps File 61, Page 2 Clark County, Nevada official records.

8. Existing place of use Portion of the Southeast one-quarter (SE 1/4) of the Northwest one-quarter (NW 1/4) of Section 1, T21S, R61E, MDM, one acre foot to be removed.

9. Use will be from January 1 to December 31 of each year.

10. Use was permitted from January 1 to December 31 of each year.

11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) water to be diverted from an existing well.

12. Estimated cost of works \$1,000.00 more or less

13. Estimated time required to construct works None. Well is complete, having an 8 inch diameter, 5 hp, submersible pump and pressure tanks and appurtenances.

14. Estimated time required to complete the application of water to beneficial use.....3 years.....

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

Water to service one house.....
.....
.....
.....

By.....s/ Craig Quinney.....
Fulstone Enterprises, Inc.
940 S. Martin L. King Blvd.
Las Vegas, NV 89106
Compared sm/gkl..... jr/bk
Protested.....

APPROVAL
.....OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 36759, Certificate 12526 is issued subject to the terms and conditions imposed in said Permit 36759, Certificate 12526 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 60142 and 60427 shall not exceed 3.24 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 0.00185.....cubic feet per second, but not to exceed 1.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before..... September 22, 1997

Proof of completion of work shall be filed before..... October 22, 1997

Application of water to beneficial use shall be made on or before..... September 22, 2000

Proof of the application of water to beneficial use shall be filed on or before..... October 22, 2000

Map in support of proof of beneficial use shall be filed on or before..... N/A

Completion of work filed..... NOV 24 1997

Proof of beneficial use filed..... OCT 31 2000

Cultural map filed.....

Certificate No. 15823 Issued AUG 13 2001

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E., State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 22nd day of September

A.D. 19 95

R. Michael Turnipseed P.E.
State Engineer