

3rd AMENDED APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office SEP 26 1994

Returned to applicant for correction DEC 05 1994

Corrected application filed APR 07 1995

Map filed APR 07 1995

The applicant County of Elko for the Town of Jarbidge, Nevada

569 Court Street, of Elko

Nevada 89801, hereby make application for permission to appropriate the public

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Bear Creek (surface Source)

2. The amount of water applied for is 0.5 CFS, or 117.95 million gallons annually

(a) If stored in reservoir give number of acre-feet

3. The water to be used for municipal purposes

4. If use is for:

(a) Irrigation, state number of acres to be irrigated

(b) Stockwater, state number and kinds of animals to be watered

(c) Other use (describe fully under No. 12. "Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point within the NE 1/4 of Section 17.

T. 46 N., R. 58 E., from which the SE corner of said section bears S 34° 56' 00" E a distance of 2018.00 feet.

6. Place of use townsite of Jarbidge, Nevada in the W 1/4 section 16, and NE 1/4 Section 17, T. 46 N., R. 58 E., MBD&M.

7. Use will begin about 1/1 and end about 12/31, of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Diversion Structure, Intake Gallery, Filtration

Plant, Meter, Storage Tank, and Distribution Lines.

9. Estimated cost of works..... \$400,000.00

10. Estimated time required to construct works..... 5 years
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use..... 25 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

The community of Jarbidge at present has a peak population of approximately 150 in the summer. Average daily use is approximately 350 gallons per capita per day, (GPCD). At present there are plans for the development of possibly 150 lots and a hotel. This water would be for possible expansion of the town.

By s/George R. E. Boucher
569 Court Street
Elko, NV 89801

Compared sm/gkl

5/23/95 by: Robert H. Ruggeri

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed..... cubic feet per second.....

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed before.....

Application of water to beneficial use shall be filed on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before.....

Completion of work filed..... IN TESTIMONY WHEREOF, I, _____,
State Engineer of Nevada, have hereunto set my hand and the seal of my

Proof of beneficial use filed..... office, this..... day of.....

Cultural map filed..... A.D.....

Certificate No. Issued.....
State Engineer