

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office... SEP 28 1994
Returned to applicant for correction... DEC 09 1994
Corrected application filed... JAN 18 1995
Map filed... JAN 26 1995

The applicant... Eureka County
P.O. Box 257, of Eureka, Nevada 89316
hereby make... application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

- 1. The source of the proposed appropriation is... Underground
2. The amount of water applied for is... One second-feet
3. The water to be used for... Quasi-municipal
4. If use is for: (a) Irrigation, state number of acres to be irrigated... (b) Stockwater, state number and kinds of animals to be watered... (c) Other use... (d) Power: (1) Horsepower developed... (2) Point of return of water to stream...

5. The water is to be diverted from its source at the following point... T31N, R49E M.D.B.&M, or a point from which the NW Corner at Sec. 6, T31N, R49E bears N 76° 27' W., 6,671.18'.

6. Place of use... portions of Block 19, and Block 20 Beowawe Townsite, consisting of 2.14 acres, in the SW 1/4 NW 1/4 & SE 1/4 NW 1/4 Section 5, T.31N., R.49E., M.D.M. Eureka County, NV.

7. Use will begin about... January 1 and end about... December 31, of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.)... Drilled well with pump & motor

9. Estimated cost of works \$20,000

10. Estimated time required to construct works 1 Year
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use 10 Years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

Fire Station, Court House/Library, Maintenance Shop, and a Mobile Home.
estimated annual use=200,000 gallons. Water Truck estimated use=4,000
gallons/load X 2/day X 5/week X 20 weeks/year= 800,000 gallons. Total
estimated annual use=1 million gallons.

s/Robert F. Lauder

Robert F. Lauder

By 800 E. Collage Parkway
Carson City, NV. 89706

Compared pm/jk cl/jr

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.
(CONTINUED ON PAGE 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 1.0 cubic feet per second, but not to exceed 3.0689 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before October 26, 1996

Proof of completion of work shall be filed before November 26, 1996

Application of water to beneficial use shall be filed on or before October 26, 2000

Proof of the application of water to beneficial use shall be filed on or before November 26, 2000

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed JUN 20 1997

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P. E.
State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this 26th day of October

A.D. 1995
R. Michael Turnipseed P.E.
State Engineer

(PERMIT TERMS CONTINUED)

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.