

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

OCT-12-1994 NEW PRIORITY DATE: APR 3 1998

Date of filing in State Engineer's Office

Returned to applicant for correction

Corrected application filed. Map filed. OCT 05 1994

The applicant JOHN TRIJONIS

1301 Uri Court of Incline Village Nevada 89451

hereby make application for permission to change the

Manner, Place of Use and Point of Diversion of a portion of water heretofore appropriated under Permit 23287, CERTIFICATE 8078

Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.

1. The source of water is underground

2. The amount of water to be changed 4.56 acre-foot

3. The water to be used for Irrigation and Domestic

4. The water heretofore permitted for Irrigation

5. The water is to be diverted at the following point in the NW1/4 NW1/4 Section 27, T.16N

R.19E., M.D.B.&M. at a point from which S1/4 corner of Section 22, T.16N

R.19E., M.D.B.&M. bears N. 71°47'55" E, a distance of 1958.55 feet.

6. The existing permitted point of diversion is located within The NE1/4 SE1/4 Section 22, T.16N

R.19E., M.D.B.&M., at a point bearing S.30°15'00"W from the NE corner of the

NE1/4 SE1/4 of said Section 22, a distance of 1175.00 feet. (AKA E1/4 corner)

7. Proposed place of use

SW1/4 SW1/4, Section 22, and the NW1/4 NE1/4, NE1/4 NW1/4, NW1/4 NW1/4, Section 27, all in T.16N.,

R.19E., M.D.B.&M., also identified as A.P.N.'s 55-200-65, 55-301-03, 55-301-06 and 55-301-24

8. Existing place of use Lots 1 through 10 plus Lake Meadow Lane of the Lightning W Ranch,

Ranch Unit Subdivision, Tract Map 3043 (see attached map) a total of 12.85 acres.

(11.80 ac. NE NW Sec. 23 T16N R19E and 1.05 ac. NW NE Sec 23 T16N R19E)

9. Use will be from January 1 to December 31 of each year.

10. Use was permitted from January 1 to December 31 of each year.

11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) drilled well, pump, motor and transmission

piping

12. Estimated cost of works \$50,000.00

13. Estimated time required to construct works three (3) years

14. Estimated time required to complete the application of water to beneficial use five (5) years

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

.....
.....
.....

By s/William E. Nork
William E. Nork, Agent
1026 W. First Street
Reno, NV 89503

Compared pm/jk jr/bk

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the place of use and point of diversion of a portion of the waters of an underground source as heretofore granted under Permit 23287, Certificate 8078 is issued subject to the terms and conditions imposed in said Permit 23287, Certificate 8078 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 60571, 60572 and 60573 shall not exceed 51.40 acre-feet annually and is limited to the irrigation of 12.85 acres within the place of use.

(CONTINUED ON PAGE 2)

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.071 cubic feet per second, but not to exceed 4.56 acre-feet annually, and not to exceed a yearly duty of 4.0 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and be completed on or before September 21, 1997

Proof of completion of work shall be filed before October 21, 1997

Application of water to beneficial use shall be made on or before September 21, 2000

Proof of the application of water to beneficial use shall be filed on or before October 21, 2000

Map in support of proof of beneficial use shall be filed on or before October 21, 2000

Completion of work filed JUN 30 1998

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No. Issued.....

~~CANCELLED MAR 30 1998~~
~~BECAUSE OF FAILURE~~
~~OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT~~
~~STATE ENGINEER~~
Con. Rescinded 6-25-98

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.
State Engineer of Nevada, have hereunto set my hand and the seal of my
office, this 21st day of September

A.D. 19 95

R. Michael Turnipseed P.E.
State Engineer

AGENT SEP 17 2003
WITHDRAWN BY APPLICANT

Indicci, P.E. STATE ENGINEER

(PERMIT TERMS CONTINUED)

All surface waters must be used for irrigation prior to the use of any of the supplemental groundwater.

