

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office APR 19 1995

Returned to applicant for correction _____

Corrected application filed _____

Map filed APR 19 1995

The applicant Hunter Family Trust

6670 West Gomer Road, of Las Vegas
Street and No. or P.O. Box No. City or Town

Nevada, 89139, hereby makes application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is an underground source in the Las Vegas
Name of stream, lake, spring, underground or other source
Artesian Basin, Clark County, Nevada

2. The amount of water applied for is 0.0028 cubic feet per second second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet N/A

3. The water to be used for commercial purposes
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated _____

(b) Stockwater, state number and kinds of animals to be watered _____

(c) Other use (describe fully under No. 12. "Remarks") _____

(d) Power:

(1) Horsepower developed _____

(2) Point of return of water to stream _____

5. The water is to be diverted from its source at the following point within the Southeast Quarter (SE $\frac{1}{4}$)
Describe as being within a 40-acre subdivision of public
of the Southwest Quarter (SW $\frac{1}{4}$) of Section 23, Township 22 South, Range 60 East,
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
M.D.B.&M., Clark County, Nevada or at a point from which the South Quarter (S $\frac{1}{4}$) Corner
of Section 23 bears South 35°00'00" East a distance of 350.00 feet.

6. Place of use is a portion of the Southeast Quarter (SE $\frac{1}{4}$) of the Southwest Quarter (SW $\frac{1}{4}$)
Describe by legal subdivision. If on unsurveyed land, it should be so stated.
of Section 23; Township 22 South, Range 60 East, M.D.B.&M., Clark County, Nevada,
being Lot 2 of Parcel Map File 55, Page 52, Recorded in the office of the Clark
County Records Office on February 8, 1988.

7. Use will begin about January 1st and end about December 31st, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drill a well, install a 3 horsepower
State manner in which water is to be diverted, i.e. diversion structure, ditches and

submersible pump, 1 1/2 inch discharge line, a pressure tank
flumes, drilled well with pump and motor, etc.

- 9. Estimated cost of works.....Twenty-Five Thousand Dollars (\$25,000.00).....
- 10. Estimated time required to construct works.....two years.....
If well completed, describe works.
- 11. Estimated time required to complete the application of water to beneficial use.....three years.....
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:
.....
.....
.....

By s/Richard J. Baughman
Richard J. Baughman, P.E., P.L.S.
1210 Hinson Street, Las Vegas, Nevada 89102

Compared sm/jk cl/cmg

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.
(CONTINUED ON PAGE 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0028 cubic feet per second, but not to exceed 0.657 million gallons annually.

- Work must be prosecuted with reasonable diligence and be completed on or before May 1, 1998
- Proof of completion of work shall be filed before June 1, 1998
- Application of water to beneficial use shall be filed on or before May 1, 2001
- Proof of the application of water to beneficial use shall be filed on or before June 1, 2001
- Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed NOV 02 1998
Proof of beneficial use filed.....
Cultural map filed.....
Certificate No. Issued.....

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.
State Engineer of Nevada, have hereunto set my hand and the seal of my
office, this 1st day of May
A.D. 96
[Signature]
State Engineer

(PERMIT TERMS CONTINUED)

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The place of use of Permit 61159 must be disconnected from the Arden pipeline when the well is completed.

This permit is issued subject to the State Engineer's Amended Order 1054 dated April 15, 1992.

