Serial No. 61243

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office MAY 15 1995

Returned to applicant for correction JUN 09 1995

Corrected application filed _____ Map filed JUL 21 1995 under 61241

The applicant MIKE NEUFFER

990 Caughlin Crossing (Street and No. or P.O. Box No.) of Reno (City or Town)

NV 89509 (State and Zip Code No.) hereby make application for permission to change the

point of diversion and place of use of a portion (Point of diversion, manner of use, and/or place of use)

of water heretofore appropriated under Claim #166 of the Final Decree in Equity Docket No. A-3 (Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

"United States of America, Plaintiff vs. Orr Water Ditch Company, et al., Defendants."

1. The source of water is Truckee River (Name of stream, lake, underground spring or other source.)
2. The amount of water to be changed 0.0063 CFS not to exceed 1.34 acre feet (Second feet, acre feet. One second foot equals 448.83 gallons per minute.)
3. The water to be used for Irrigation (Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.)
4. The water heretofore permitted for Irrigation as decreed (Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.)
5. The water is to be diverted at the following point NE¼ SW¼ of Section 31, T. 19 N., R. 18 E., (Describe as being within a 40-acre subdivision of public survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.) M.B.D.&M. or at a point from which the southwest corner of Section 32, T. 19 N. R. 18 E., M.D.B.&M. bears S. 62° 04' E., 3195.00 feet (Steamboat Ditch)
6. The existing permitted point of diversion is located within SE¼ NE¼ of Section 14, T. 19 N., (If point of diversion is not changed, do not answer.) R. 18 E., M.D.B.&M. or at a point from which the northwest corner of Section 13, T. 19 N., R. 18 E., M.D.B.&M bears N. 24° 26' E., 1840.00 feet (Last Chance Ditch)
7. Proposed place of use Section 2, T. 18 N., R. 19 E., M.D.B.&M. (Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.)
   SE¼ NW¼ - 0.37 acres
   SW¼ NE¼ - 4.91 acres.
8. Existing place of use NE¼ NW¼ Section 22, T. 19 N., R. 19 E., M.D.B.&M. - 0.297 acres (Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)
9. Use will be from as Decreed (Month and Day) to _____ (Month and Day) of each year.
10. Use was permitted from as Decreed (Month and Day) to _____ (Month and Day) of each year.
11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Water will be diverted from the Steamboat Ditch by means of a pump and delivered through a pipeline to a small pond. Water will be diverted from the pond into an underground sprinkler system for landscape irrigation. (State manner in which water is to be diverted, i.e. diversion structure, ditches, pipes and flumes, or drilled well, etc.)
12. Estimated cost of works in excess of $25,000.00
13. Estimated time required to construct works one year

14. Estimated time required to complete the application of water to beneficial use five years

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

Water will be used for irrigation of landscaping within a large single family residential parcel.

Robert E. Firth, Agent
By S/Robert E. Firth
360 East Riverview Cr.
Reno, NV 89509

Compared bk/

Protested

.....OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed.....cubic feet per second.....

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed before.....

Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before.....

Completion of work filed.....

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No.....Issued.....

IN TESTIMONY WHEREOF, I, ...,
State Engineer of Nevada, have hereunto set my hand and the seal of my office, this.....day of.....,
A.D. 19.....

State Engineer

WITHDRAWN BY APPLICANT agent SEP 30 1998

STATE ENGINEER

(O)-1108 (Rev. 6-81)