No. 61392

# APPLICATION FOR PERMIT
# TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office JUL 1 0 1995

Returned to applicant for correction

Corrected application filed

Map filed JUL 1 0 1995

The applicant Robert J Vrhel & Louise M Vrhel

9680 Reach Av (Street and No. or P.O. Box No.), of California City (City or Town),

California 93505 (State and Zip Code No.), hereby make S application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is underground (Name of stream, lake, spring, underground or other source)

2. The amount of water applied for is 0.016 second-feet (One second-foot equals 448.83 gals. per min.)

   (a) If stored in reservoir give number of acre-feet

3. The water to be used for commercial & domestic (Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.)

4. If use is for:

   (a) Irrigation, state number of acres to be irrigated

   (b) Stockwater, state number and kinds of animals to be watered

   (c) Other use (describe fully under No. 12. "Remarks" See #12

   (d) Power:

      (1) Horsepower developed

      (2) Point of return of water to stream

5. The water is to be diverted from its source at the following point In the NE¼ of NE¼ Sec 23, (Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.) T20N, R25E MDB&M or at a point from which The NE Corner of said Section23 bears N65°41'45"E a distance of 1073.70 feet.

6. Place of use Portion of NE¼ NE¼ Sec 23, T20N, R25E MDB&M. (Describe by legal subdivision. If on unsurveyed land, it should be so stated.)

7. Use will begin about 1 Jan (Month and Day) and end about Dec 31 (Month and Day), of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 8" diameter cased well - 200'± (State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.) Water to be pumped to pressure storage system

9. Estimated cost of works $9,000.00

10. Estimated time required to construct works One year
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use One year

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

3462 gal/day for 20 empoyees at small manufacturing plant. Water for domestic use, and commercial in plant operation. Annual use 900,000 gals

By s/Ralph C Heninger, PE
Ralph C Heninger, PE
PO Box 1059
Fernley, NV 89408

Compared tdf/cmg cl/bk

Protested

**APPROVAL** OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.
(CONTINUED ON PAGE 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.016 cubic feet per second, but not to exceed 0.657 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before March 3, 1998

Proof of completion of work shall be filed before April 3, 1998

Application of water to beneficial use shall be filed on or before March 3, 2000

Proof of the application of water to beneficial use shall be filed on or before April 3, 2000

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed

Proof of beneficial use filed

Cultural map filed

Certificate No. Issued

CANCELLED AUG 3 1999 BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

R. Michael Turnipseed P.E. STATE ENGINEER

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E. State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 3rd day of March, A.D. 1997.

R. Michael Turnipseed P.E.
State Engineer

(O)-2145 (Rev. 9-89)

(PERMIT TERMS CONTINUED)

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.