

ASSIGNED

NO. 62171

**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office MAY 24 1996

Returned to applicant for correction _____

Corrected application filed _____

Map filed MAY 24 1996 under 62170

The applicant Ronald and Janet Wilhite, hereby makes application for permission to change the Point of Diversion and Place of Use of a portion of water heretofore appropriated under Permit 58885

1. The source of water is Underground
2. The amount of water to be changed 4.0 acre feet (0.0067 cfs)
3. The water to be used for Quasi-municipal and Domestic purposes
4. The water heretofore permitted for Quasi-municipal and Domestic purposes
5. The water is to be diverted at the following point within the SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 35, T.13N., R.20E., M.D.M., or at a point from which the S $\frac{1}{4}$ corner of said Section 35 bears South 60°17'01" East a distance of 2,167 feet.
6. The existing permitted point of diversion is located within the NW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 35, T.13N., R.20E., M.D.M., or at a point from which the S $\frac{1}{4}$ corner of said Section 35 bears South 46°14'44" East a distance of 1,940.49 feet.
7. Proposed place of use is 0.78 acres within the NW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 35, T.13N., R.20E., M.D.M. and 4.23 acres within the SW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 35, T.13N., R.20E., M.D.M.
8. Existing place of use is within portions of the NE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 34 and portions of the SW $\frac{1}{4}$ Section 35, T.13N., R.20E., M.D.M. as shown on the supporting map for Permits 57736 and 58885.
9. Use will be from January 1 to December 31 of each year.
10. Use was permitted from January 1 to December 31 of each year.
11. Description of proposed works Drilled well, pump and motor and distribution system piping.
12. Estimated cost of works \$10,000
13. Estimated time required to construct works Two (2) years; domestic well has been drilled previously.
14. Estimated time required to complete the application of water to beneficial use Five (5) years
15. Remarks: The Applicant's propose to combine this Permit with the statutory allowance of 1,800 GPD for use within the defined property.

By s/ Robert O. Anderson
P.O. Box 2294
Minden, Nevada 89423

Compared cl/jk dl/cms

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 58885 is issued subject to the terms and conditions imposed in said Permit 58885 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 62170 and 62171 shall not exceed 4.0 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0067 cubic feet per second, **but not to exceed 4.0 acre-feet annually.**

Work must be prosecuted with reasonable diligence and be completed on or before:

April 27, 2000

Proof of completion of work shall be filed before:

May 27, 2000

Application of water to beneficial use shall be filed on or before:

April 27, 2001

Proof of the application of water to beneficial use shall be filed on or before:

May 27, 2001


Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office,

this 27th day of April, A.D. 1999


State Engineer

Completion of work filed JUN 10 1999

Proof of beneficial use filed MAY 18 2000

Cultural map filed MAY 18 2000

Certificate No. 15740 Issued APR 16 2001