

**APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

NEW PRIORITY DATE:

Date of filing in State Engineer's Office JUN-25-1996 MAR 8 2002

Returned to applicant for correction _____

Corrected application filed _____

Map filed JUN 25 1996

The applicant **Springdale Ranches Inc.**, hereby makes application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

1. The source of the proposed appropriation is **an underground source in Nye County, Nv.**

2. The amount of water applied for is **0.20 Cubic feet per second, not to exceed 5 AFA.. second-feet**

(a) If stored in reservoir give number of acre-feet

3. The water to be used for **Commercial purposes**

4. If use is for:

(a) Irrigation, state number of acres to be irrigated

(b) Stockwater, state number and kinds of animals to be watered

(c) Other use (describe fully under No. 12. "Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point **Within the NW.¼ NE¼ of Section 31, T.10S., R.47E., M.D.M., or at a point from which the North ¼ corner of said section 31 bears N 86 16'48" W a distance of 682 feet**

6. Place of Use **10.26 acres within the NW.¼ NE.¼ and 1.29 acres within the NE.¼ NE.¼ all in Section 31, T.10S., R.47E., M.D.M.**

7. Use will begin about **January 1** and end about **December 31**, of each year.

8. Description of proposed works **An 8" dia. drilled well, cased all the way, with a 10 hp. submersible pump on a 2" galvanized pipe.**

9. Estimated cost of works **\$8000**

10. Estimated time required to construct works **4 years**

11. Estimated time required to complete the application of water to beneficial use **5 years**

12. Remarks: **This water is to be used to serve a 20 unit motel, and truck stop with a mini-market, fuel pumps, restaurant, and casino. The amount of water applied for will not exceed 5 acre feet annually.**

By **s/Ed Peacock**

P.O. Box 237

Beatty, Nv, 89003

Compared cms/bk cl/cms

Protested 9/20/96 U.S. Department of the Interior National Park Service:

Pro. overruled 8/15/97; See Ruling No. 4556

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.

This permit is issued subject to the State Engineer's Ruling No. 4556 dated August 15, 1997.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.2 cubic feet per second, but not to exceed 5.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

November 3, 1999

Proof of completion of work shall be filed before:

December 3, 1999

Application of water to beneficial use shall be filed on or before:

November 3, 2002

Proof of the application of water to beneficial use shall be filed on or before:

December 3, 2002

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 3rd day of November, A.D. 1997

By: Christine Thiel, P.E., Deputy State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

CANCELLED FEB 06 2002 BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

STATE ENGINEER Can. Rescinded 7-7-04