

AMENDED **NO. 62309**
**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office JUL 17 1996
Returned to applicant for correction AUG 12 1996
Corrected application filed AUG 30 1996
Map filed AUG 30 1996

The applicant **J.M. Richards** hereby makes application for permission to change the **Point of Diversion, Place of Use, and manner of Use of a portion** of water heretofore appropriated under permit 22140, certificate 7975, subject to the State Engineer's Ruling #4349

1. The source of water is **an underground source in Nye County, NV**
2. The amount of water to be changed **0.0325 C.F.S., not to exceed 5 acre feet annually**
3. The water to be used for **commercial purposes**
4. The water heretofore permitted for **Irrigation and domestic**
5. The water is to be diverted at the following point **within the SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 18, T.15S., R.50E., M.D.M., or at a point from which the W. $\frac{1}{4}$ corner of said Section 18 bears N 40° 02' 50" W, a distance of 1798 feet.**
6. The existing permitted point of diversion is located within **NW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 8, T.17S., R.52E., M.D.M., or at a point from which the West $\frac{1}{4}$ corner of said Section 8 bears N. 52° 47' W. a distance of 1370 feet.**
7. Proposed place of use **3.1 acres in the E. $\frac{1}{2}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 18, T.15S., R.50E., M.D.M., also Known as AP# 21-021-06.**
8. Existing place of use **33.3 acres in the NW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 8, T.17S., R.52E., M.D.M.. The area to be removed is a one acre square in the NE. portion of permit 22140 as shown on the accompanying map.**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works. **An 8" dia. drilled well 1130 feet deep with a 10 hp. submersible pump and 2" galvanized pipe and wire.**
12. Estimated cost of works **\$20,000**
13. Estimated time required to construct works **Completed, same as item 11 above.**
14. Estimated time required to complete the application of water to beneficial use **5 years.**

15. Remarks: **This water is to be used in serving the tourist business and/or administrative office use with landscaping.**

By **s/Lisle Lowe
Lisle Lowe Agent
HCR. BOX 400-E
Amargosa Valley, NV, 89020**

Compared ag/cmf ag/ cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 22140 (Certificate 7975) is issued subject to the terms and conditions imposed in said Permit 22140 (Certificate 7975) and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

If any water under this permit is cancelled, withdrawn, or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0325 cubic feet per second, **but not to exceed 5.0 acre-feet annually.**

Work must be prosecuted with reasonable diligence and be completed on or before:

February 20, 2005

Proof of completion of work shall be filed on or before:

March 20, 2005

Water must be placed to beneficial use on or before:

February 20, 2008

Proof of the application of water to beneficial use shall be filed on or before:

March 20, 2008

Map in support of proof of beneficial use shall be filed on or before:


N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,


State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 20th day of February, A.D. 2004.



State Engineer



Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed N/A _____

Certificate No. _____ Issued _____

