ASSIGNED

NO. 62543

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office OCT 29 1996

Returned to applicant for correction

Corrected application filed

Map filed OCT 29 1996

****

The applicant NOLA DAVIS WHIPPLE AND EBBIE L. DAVIS, hereby makeS application for permission to change the Point of Diversion and Place of Use of a portion of water heretofore appropriated under Permit #11413 Certificate 3343-2

****

1. The source of water is Underground Source

2. The amount of water to be changed 2 acre feet 0.0028 C.FS.

3. The water to be used for Quasi-Municipal and Domestic

4. The water heretofore permitted for Quasi-Municipal and Domestic

5. The water is to be diverted at the following point Within the Northeast quarter (NE¼) of the Southeast quarter (SE¼) of Section 18, T22S, R61E, MDM., or at a point from which the East quarter (E¼) corner of said Section 18, T22S, R61E, MDM, bears North 12°02'48" East, a distance of 970.00 feet.

6. The existing permitted point of diversion is located within Within the Southwest quarter (SW¼) of the Southwest quarter (SW¼) of Section 25, T20S, R61E, MDM, or at a point from which the Southwest corner of said Section 25, T20S, R61E, MDM, bears South 63° 45' West, a distance of 718.00 feet

7. Proposed place of use East half (E½) of the East half (E½) of the Southeast quarter (SE¼) of the Northeast quarter (NE¼) of the Southeast quarter (SE¼) of Section 18, T22S, R61E, MDM.

8. Existing place of use Northeast quarter (NE¼) of the Southwest quarter (SW¼) of the Southwest quarter (SW¼) of the Southwest (SW¼) of Section 25, T20S, R61E, MDM.

9. Use will be from January 1 to December 31 of each year.

10. Use was permitted from January 1 to December 31 of each year.

11. Description of proposed works Drill 8" steel cased well, install submersible pump, piping, wiring, totalizing meter, booster pump, storage tank and appurtenances.

12. Estimated cost of works $20,000

13. Estimated time required to construct works 1 year

14. Estimated time required to complete the application of water to beneficial use 5 years

15. Remarks: Well to serve two residences.

By s/ Jerry Eldridge Agent
Jerry Eldridge
P.O. Box 95371
Las Vegas, NV. 89193

Compared cl/jr cl/cms

Protested

62543

****

APPROVAL **OF STATE ENGINEER**

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 11413 Certificate 3343-2 is issued subject to the terms and conditions imposed in said Permit 11413 Certificate 3343-2 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Any well drilled under Permit 11413 Certificate 3343-2 shall be plugged in accordance with the Nevada Administrative Code, Chapter 534.420, "Regulations for Water Well and Related Drilling" within 60 days from the issuance of this permit.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0028 cubic feet per second, but not to exceed 2.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:
August 25, 1998

Proof of completion of work shall be filed before:
September 25, 1998

Application of water to beneficial use shall be filed on or before:
August 25, 2002

Proof of the application of water to beneficial use shall be filed on or before:
September 25, 2002

Map in support of proof of beneficial use shall be filed on or before:
N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E., State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 25th day of August, A.D. 1997

R. Michael Turnipseed P.E.
State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

Abrogated By 64935 0.0028