

**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office DEC 17 1996
 Returned to applicant for correction JAN 15 1997
 Corrected application filed MAR 17 1997
 Map filed MAR 17 1997

The applicant Bernard Mills, hereby makes application for permission to change the point of diversion, manner of use and place of use of a portion of water heretofore appropriated under Permit No. 14576 Certificate No. 5329

1. The source of water is underground
2. The amount of water to be changed 1 acre foot 0.01 cfs
3. The water to be used for commercial and domestic purposes.
4. The water heretofore permitted for irrigation and domestic purposes.
5. The water is to be diverted at the following point SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 34, T19S, R53E, MDB&M, Nye County Nevada or at a point from which the SW Section corner of said Section 34 bears S 64° 35' 24" W a distance of 984.44 feet.
6. The existing permitted point of diversion is located within SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 34, T.19S., R.53E., M.D.B.&M., or at a point from which the N $\frac{1}{4}$ corner of said Sec. 34 bears N. 0° 57'E., 2553 feet.
7. Proposed place of use portion of the SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 34, T19S, R53E, MDB&M Nye County Nevada and being Lot 8 No. 8 of Record of Survey for Gerald Martin No. 20387 Nye County Records. Consisting of 2.32± acres.
8. Existing place of use being the S $\frac{1}{2}$ of the NW $\frac{1}{4}$ of Section 34, T19S, R53E, MDB&M Nye County Nevada and the S $\frac{1}{2}$ of the NE $\frac{1}{4}$ of Section 33, T19S, R53E, MDB&M, Nye County Nevada consisting of 160 acres. Remove 1 acre foot from irrigation. (.983 acres)
9. Use will be from January 1st to December 31st of each year.
10. Use was permitted from January 1st to December 31st of each year.
11. Description of proposed works existing 8"± casing, 140'± deep well, 1½ HP submersible pump with pressure tank.
12. Estimated cost of works \$5000.00
13. Estimated time required to construct works 1 year (see item 11)
14. Estimated time required to complete the application of water to beneficial use 5 years

62669

15. Remarks: Presently one commercial building on site. Usage not to exceed 325,830 gallons annually.

By s/Charles L. Thomsen, Agent
P. O. Box 2317
Pahrump, Nevada 89041

Compared my/cms dl/cms

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 14576, Certificate 5329 is issued subject to the terms and conditions imposed in said Permit 14576, Certificate 5329 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

If any water under this permit is cancelled, withdrawn, or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right.

(CONTINUED ON PAGE 2)

APPROVAL RESCINDED, SEE RULING 4888 dated March 28, 2000

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.01 cubic feet per second, **but not to exceed 1.0 acre-foot annually.**

Work must be prosecuted with reasonable diligence and be completed on or before:

February 5, 2000

Proof of completion of work shall be filed before:

March 5, 2000

Application of water to beneficial use shall be filed on or before:

February 5, 2003

Proof of the application of water to beneficial use shall be filed on or before:

March 5, 2003


Map in support of proof of beneficial use shall be filed on or before:

N/A


IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office,

this 5th day of February, A.D. 1999



State Engineer



Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

1871
MAY 11 1871
MAY 11 1871