

NO. 62694

**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office DEC 24 1996
Returned to applicant for correction JAN 24 1997
Corrected application filed _____
Map filed FEB 18 1997

The applicant Jerry Dean, hereby makes application for permission to change the Point of Diversion, Place of Use, and Manner of (Use of a portion) of water heretofore appropriated under Permit No. 12778, Cert. No. 3739

1. The source of water is an underground source
2. The amount of water to be changed 10 acre feet
3. The water to be used for Quasi-Municiple
4. The water heretofore permitted for Irrigation
5. The water is to be diverted at the following point within the SE $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 23, Township 22 South, Range 60 East, M.D.B. & M. at a point that bears North 44^o 00' West a distance of 1050.0 feet from the South Quarter (S $\frac{1}{4}$) corner of said Section 23.
6. The existing permitted point of diversion is located within the SE $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 19, Township 20 South, Range 62 East, M.D.B. & M. at a point that bears North 03^o 53' East a distance of 1730.0 ft to the North Quarter (N $\frac{1}{4}$) corner of said Section 19.
7. Proposed place of use within the SE $\frac{1}{4}$ SW $\frac{1}{4}$ and within the SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 23, Township 22 South, Range 60 East, M.D.B. & M.
8. Existing place of use within the SE $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 19, Township 20 South, Range 62 East, M.D.B. & M.
9. Use will be from Jan. 1 to Dec. 31 of each year.
10. Use was permitted from Jan. 1 to Dec. 31 of each year.
11. Description of proposed works wells, pumps, pressure tank and distribution pipeline with totalizing meter.
12. Estimated cost of works \$100,000.00
13. Estimated time required to construct works 5 years
14. Estimated time required to complete the application of water to beneficial use 5 years
15. Remarks: Several office/warehouse and other light industrial businesses will be served with a distribution pipeline.

By s/Stephen F. Turner
1210 Hinson Street
Las Vegas, NV 89102

Compared my/bk dl/cms

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use and manner of use of the waters of an underground source as heretofore granted under Permit 12778, Certificate 3739 is issued subject to the terms and conditions imposed in said Permit 12778, Certificate 3739 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Any well drilled under Permit 12778, Certificate 3739 shall be plugged in accordance with the Nevada Administrative Code, Chapter 534.420, "Regulations for Water Well and Related Drilling" within 60 days from the issuance of this permit.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.03 cubic feet per second, but not to exceed 10.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

May 20, 2001

Proof of completion of work shall be filed before:

June 20, 2001

Application of water to beneficial use shall be filed on or before:

May 20 2004

Proof of the application of water to beneficial use shall be filed on or before:

June 20, 2004

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office,

this 20th day of May, A.D. 1999

[Handwritten signature of R. Michael Turnipseed, State Engineer]

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____