

AMENDED

NO. 62882

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office FEB 27 1997  
Returned to applicant for correction MAR 10 1997  
Corrected application filed MAR 17 1997  
Map filed MAY 16 1980 under 40509

\*\*\*\*\*

The applicant The Episcopal Diocese of Nevada, hereby makes application for permission to change the Point of Diversion, Manner of Use and Place of Use of water heretofore appropriated under Permit No. 57923

\*\*\*\*\*

1. The source of water is Lake Tahoe
2. The amount of water to be changed .00781 CFS, 3.3 acre feet annually
3. The water to be used for Quasi-Municipal and Domestic
4. The water heretofore permitted for Quasi-Municipal
5. The water is to be diverted at the following point See attachment
6. The existing permitted point of diversion is located within See attachment.
7. Proposed place of use See attachment
8. Existing place of use See attachment
9. Use will be from January 1 to December 31 of each year.
10. Use was permitted from January 1 to December 31 of each year.
11. Description of proposed works existing lake intake facility
12. Estimated cost of works existing
13. Estimated time required to construct works existing
14. Estimated time required to complete the application of water to beneficial use 10 years
15. Remarks: See attachment.

By Milton L. Sharp, Agent  
s/Milton L. Sharp  
1005 Terminal Way, #257  
Reno, NV. 89502

Compared my/cms

Protested \_\_\_\_\_

*agent*  
WITHDRAWN BY APPLICANT JAN 30 1998  
*[Signature]*  
STATE ENGINEER *[Signature]* *OMS*

62882

\*\*\*\*\*

\_\_\_\_\_ OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

## ATTACHMENT

## Response to Item 5.

The water is to be diverted at the following point within Lot 1 extended (SW $\frac{1}{4}$ SW $\frac{1}{4}$ ) of Section 16, T. 16 N., R. 18 E., M.D.M. at a point from which the W $\frac{1}{4}$  corner of said Section 16 bears N. 22° 50' 57" W. a distance of 2,487.93 feet.

## Response to Item 6.

The existing point of diversion is located within the SW $\frac{1}{4}$ NW $\frac{1}{4}$  (Lot 4) of Section 3, T. 13 N., R. 18 E., M.D.M. at a point from which the meander corner common to said Section 3 and Section 34, T. 14 N., R. 18 E., M.D.M. bears N. 32° 27' 10" E. a distance of 2,470.25 feet.

## Response to Item 7.

## Proposed place of use:

Within Sections 1, 2, 3, 9, 10, 11, 13, 14, 15, 16, 17, 19, 21, 22 and 23; the W $\frac{1}{2}$ , W $\frac{1}{2}$ NE $\frac{1}{4}$ , S $\frac{1}{2}$ SE $\frac{1}{4}$  of Section 24; portions of the NW $\frac{1}{4}$ NE $\frac{1}{4}$  and NE $\frac{1}{4}$ NW $\frac{1}{4}$  of Section 26, the S $\frac{1}{2}$  of Section 8; the W $\frac{1}{2}$ , W $\frac{1}{2}$ E $\frac{1}{2}$  of Section 12; E $\frac{1}{2}$  of Section 18; portions of the W $\frac{1}{2}$ NE $\frac{1}{4}$ , E $\frac{1}{2}$ NW $\frac{1}{4}$ , NE $\frac{1}{4}$ SW $\frac{1}{4}$  and NW $\frac{1}{4}$ SE $\frac{1}{4}$  of Section 30, all within T. 16 N., R. 18 E., M.D.M. (Incline Village General Improvement District, Washoe County, Nevada)

## Response to Item 8.

Existing place of use: All of Section 3, T. 13 N., R. 18 E., M.D.M.; S $\frac{1}{2}$ S $\frac{1}{2}$  of Section 34, T. 14 N., R. 18 E., M.D.M.; N $\frac{1}{2}$ N $\frac{1}{2}$  of Section 10 T. 13 N., R. 18 E., M.D.M.

## Response to Item 15.

Applications to change point of diversion, manner of use and place of use for water appropriated under Permit No. 57922 (26.5 acre feet annually), Permit No. 57923 (3.3 acre feet annually) and Permit No. 57924 (.204 acre feet annually) are being filed concurrently. Total appropriation for the three applications, 30.004 acre feet annually, will be used for quasi-municipal and domestic purposes within Incline Village to support development of not to exceed 53 single family residences (500 gallons/day) or other land use features determined by the Incline Village General Improvement District to use not more than 30.004 acre feet of water annually.

See map on file with the Division of Water Resources supporting Permits No. 57922, 57923 and 57924 to identify existing place of use and point of diversion. Proposed place of use and point of diversion indicated on the map are the existing place of use and point of diversion for this application.

Please use maps on file with the Division of Water Resources under Application 40509 to identify the proposed point of diversion and Application 62044 to identify the proposed place of use.

