

TEMPORARY

AMENDED

NO. 63108-T

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office MAY 13 1997
Returned to applicant for correction MAY 16 1997
Corrected application filed JUN 06 1997
Map filed JUN 06 1997

The applicant Indian Hills General Improvement District, hereby makes application for permission to change the Point of Diversion and Place of Use of a portion of water heretofore appropriated under Permit 55539

1. The source of water is Underground
2. The amount of water to be changed 0.1 c.f.s., 0.36 mga
3. The water to be used for Quasi-Municipal
4. The water heretofore permitted for Quasi-Municipal
5. The water is to be diverted at the following point SE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 8, T.14N., R.20E., MDB&M, or at a point from which the NE corner of said Section 8 bears N. 36° 03' 48" E., a distance of 1,773.35 feet.
6. The existing permitted point of diversion is located within NE $\frac{1}{4}$ NW $\frac{1}{4}$ Section 30, T.14N., R.20E., MDB&M, or at a point from which the NW Corner of said Section 30 bears N. 83° 43' 21" W., 1351.47 feet
7. Proposed place of use Portion NW $\frac{1}{4}$ SE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 8, T.14N., R.20E., MDB&M
8. Existing place of use Existing place of use SW $\frac{1}{4}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, Section 12, T.14N., R.19E., M.D.B.&M.; SW $\frac{1}{4}$ SE $\frac{1}{4}$, Portion SE $\frac{1}{4}$ SW $\frac{1}{4}$, Section 6; NW $\frac{1}{4}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, Portion NE $\frac{1}{4}$ NW $\frac{1}{4}$, Portion SW $\frac{1}{4}$ NE $\frac{1}{4}$, Portion NW $\frac{1}{4}$ SE $\frac{1}{4}$, Portion SE $\frac{1}{4}$ NE $\frac{1}{4}$, W $\frac{1}{2}$ SW $\frac{1}{4}$, Portion E $\frac{1}{2}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$, Portion SE $\frac{1}{4}$ SW $\frac{1}{4}$; Section 7; S $\frac{1}{2}$ N $\frac{1}{2}$, SW $\frac{1}{4}$, NW $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 8; NW $\frac{1}{4}$ NW $\frac{1}{4}$, W $\frac{1}{2}$ NE $\frac{1}{4}$ NW $\frac{1}{4}$, W $\frac{1}{2}$ SW $\frac{1}{4}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$, Section 17; NE $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$ SE $\frac{1}{4}$, NW $\frac{1}{4}$, NW $\frac{1}{4}$ SW $\frac{1}{4}$, Section 18; NW $\frac{1}{4}$ NE $\frac{1}{4}$, Section 19, all in T.14N., R.20E., M.D.B.&M..
9. Use will be from January 1 to December 31 of each year.
10. Use was permitted from January 1 to December 31 of each year.
11. Description of proposed works Drilled well, pump, pressure tank and distribution system.
12. Estimated cost of works \$10,000
13. Estimated time required to construct works 60 days
14. Estimated time required to complete the application of water to beneficial use 90 days

63108-T

15. Remarks: Water will be used for temporary service to a maintenance facility for the Sunridge Golf Course now under construction. Use will include restrooms, showers and lunchroom facilities for maintenance personnel, and pressurized water sprayers for maintenance equipment cleaning.

By s/Brian A. Randall
Brian A. Randall,
Resource Concepts, Inc.
340 North Minnesota Street
Carson City, Nevada 89703

Compared my/cms cl/cms

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This temporary permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 55539 is issued subject to the terms and conditions imposed in said Permit 55539 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This temporary permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this temporary permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 42791, 42792, 42795, 42799, 42800, 43685, 44626, 48105, 52093, 55539, 58131, 58528, 58529, 58530, 61366 and 63108-T shall not exceed 547.5 million gallons annually.

This temporary permit is issued pursuant to the provisions of NRS 533.345 Section 2 and will expire on August 3, 1998 at which time all rights herein granted shall revert to the right being changed by this temporary permit.

(CONTINUED ON PAGE 2)

(PERMIT TERMS CONTINUED)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.07 cubic feet per second, but not to exceed 0.36 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

Proof of completion of work shall be filed before:

Application of water to beneficial use shall be filed on or before:

Proof of the application of water to beneficial use shall be filed on or before:


Map in support of proof of beneficial use shall be filed on or before:

TEMPORARY

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 4th day of August, A.D. 1997


State Engineer

EXPIRED
AUG 04 1998