

**APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office JUN 03 1997

Returned to applicant for correction JUL 17 1997

Corrected application filed _____

Map filed _____

The applicant **Elwyn L. Robinson**, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

1. The source of the proposed appropriation is **underground**
2. The amount of water applied for is **half second-feet**
 - (a) If stored in reservoir give number of acre-feet
3. The water to be used for **irrigation and stock watering**
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated **28 acres**
 - (b) Stockwater, state number and kinds of animals to be watered **30 head mother cows**
 - (c) Other use (describe fully under No. 12. "Remarks")
 - (d) Power:
 - (1) Horsepower developed **unknown**
 - (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point located within the **NE $\frac{1}{4}$, SE $\frac{1}{4}$, Sec 21 T7S, R61E, MDM** or at a point from which the SE corner of said Section 21 begins S. 24⁰-33'-11" E., a distance of **2,807.22 feet**.
6. Place of Use **NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 21 T7S R61E, MDM**
7. Use will begin about **June 1st** and end about **May 31st** of each year.
8. Description of proposed works **driller well with pump and motor**
9. Estimated cost of works **\$4,000**
10. Estimated time required to construct works well is drilled and cased
11. Estimated time required to complete the application of water to beneficial use **approximately 1 year**
12. Remarks:

By s/Elwin L. Robinson
PO Box 183
Alamo, NV 89001

Compared my/ _____

Protested _____

CANCELLED **OCT 14 1997** BECAUSE OF
FAILURE TO REFILE CORRECTED APPLICATION & MAP
WITHIN STATUTORY TIME
[Signature] STATE ENGINEER

63160

_____ OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: