

ASSIGNED

NO. 63247

**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office JUL 15 1997

Returned to applicant for correction _____

Corrected application filed _____

Map filed JUL 15 1997 under 63052

The applicant William Crane hereby makes application for permission to change the point of diversion, place and manner of use of a portion of water heretofore appropriated under Permit No. 21561 (Cert. 6958)

1. The source of water is Underground (R.H.R. Well)
2. The amount of water to be changed 0.327 C.F.S. (90.72 AFA)
3. The water to be used for Quasi-Municipal (Residential Land Development)
4. The water heretofore permitted for Irrigation and Domestic
5. The water is to be diverted at the following point Lot 3 (NE1/4 NW1/4) of Section 21 T.20N., R.53E., M.D.B.&M., or at a point from which the W1/4 corner of said Section 21 Bears S. 34° 21' 24" W., 3190.26 feet.
6. The existing permitted point of diversion is located within Lot 6 (SE1/4 NW1/4) of Section 21 T.20N., R.53E., M.D.B.&M., or at a point from which the NW corner of said Section 21 Bears N. 45° 00' 00" W., 3780.0 feet.
7. Proposed place of use E1/2 Section 17 & portions of Lots 3 & 4, of Section 21, All in T.20N., R.53E., M.D.B.&M.
8. Existing place of use Portion of Lot 5 of Section 21, T.20N., R.53E., M.D.B.&M. 22.68 acres
9. Use will be from January 1 to December 31 of each year.
10. Use was permitted from January 1 to December 31 of each year.
11. Description of proposed works Well, pump, motor and pipelines to the place of use.
12. Estimated cost of works \$150,000
13. Estimated time required to construct works 2 years
14. Estimated time required to complete the application of water to beneficial use 3 years
15. Remarks: 48 Lots in the E1/2 of Section 17 & 33 Lots in Section 21 (Lots 3 & 4); T.20N, T.53E., M.D.B.&M. Annual consumptive use

63247

will be 29,565,000 gallons. It is important to the County of Eureka that this Application be permitted as soon as possible.

By s/ Charles C. Armuth, Jr.
Charles C. Armuth, Jr. Agent
1262 Hannah Drive
Elko, NV 89801

Compared gkl/cms cl/cms

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 21561 Certificate 6958 is issued subject to the terms and conditions imposed in said Permit 21561 Certificate 6958 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 63052 and 63247 shall not exceed 29.565 million gallons annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

(CONTINUED ON PAGE 2)

(PERMIT TERMS CONTINUED)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.163 cubic feet per second.

Work must be prosecuted with reasonable diligence and be completed on or before:

November 12, 1999

Proof of completion of work shall be filed before:

December 12, 1999

Application of water to beneficial use shall be filed on or before:

November 12, 2002

Proof of the application of water to beneficial use shall be filed on or before:

December 12, 2002


Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office,

this 12th day of November, A.D. 1997



State Engineer

Completion of work filed OCT 02 2001

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

