

**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office MAR 31 1998

Returned to applicant for correction _____

Corrected application filed _____

Map filed MAR 31 1998

The applicant Double JA Land & Livestock Company hereby make application for permission to change the Place of Use of water heretofore appropriated under Permit 55840

1. The source of water is Underground Well
2. The amount of water to be changed 1.32 cfs not to exceed 320.0 acre feet annually
3. The water to be used for Irrigation and Domestic
4. The water heretofore permitted for Irrigation and Domestic
5. The water is to be diverted at the following point SE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 24 T11N R23E MDM or at a point from which the East one-quarter corner of Section 25 T11N R23E MDM bears S01⁰ 12' 19" E a distance of 2666.97 feet
6. The existing permitted point of diversion is located within same
7. Proposed place of use 37.9 acres SE $\frac{1}{4}$ SE $\frac{1}{4}$ 37.0 acres NE $\frac{1}{4}$ SE $\frac{1}{4}$ 3.0 acres NW $\frac{1}{4}$ SE $\frac{1}{4}$ and 2.1 acres SW $\frac{1}{4}$ SE $\frac{1}{4}$ all in Section 24 T11N R23E MDM - Total 80 acres.
8. Existing place of use SE $\frac{1}{4}$ SE $\frac{1}{4}$ and NE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 24 T11N R23E MDM - 80 acres
9. Use will be from January 1 to December 31 of each year.
10. Use was permitted from January 1 to December 31 of each year.
11. Description of proposed works Drill well, install pump motor and discharge pipe to concrete lined ditch with headgates
12. Estimated cost of works 100,000
13. Estimated time required to construct works Completed
14. Estimated time required to complete the application of water to beneficial use One year
15. Remarks: This water is comingled with other Permit not to exceed 4.0 acre feet per acre per annum from any and sources. The total combined duty not to exceed 320 acre feet annually.

By s/ Richard W. Arden Agent
950 Industrial Way
Sparks, NV 89431

Compared gkl/cms dl/cms

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the place of use of the waters of an underground source as heretofore granted under Permit 55840 is issued subject to the terms and conditions imposed in said Permit 55840 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 64013 and 64014 shall not exceed 320.0 acre-feet annually.

The total combined duty of water under Permits 64013 and 64014, and any waters of the Walker River Decree appurtenant to these lands and any storage water appurtenant to these lands shall not exceed 320.0 acre-feet annually.

Accurate measurements must be kept by month and sent quarterly to the State Engineer within 10 days from the end of each quarter (March 31, June 30, September 30 and December 31 of each year).

The issuance of this permit is subject to conditions stated in the State Engineer's Ruling No. 3854 dated December 10, 1991.
(CONTINUED ON PAGE 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 1.32 cubic feet per second, **but not to exceed 320.0 acre-feet annually, and not to exceed a yearly duty of 4.0 acre-feet per acre of land irrigated from any and/or all sources.**

Work must be prosecuted with reasonable diligence and be completed on or before:

N/A

Proof of completion of work shall be filed before:

N/A

Application of water to beneficial use shall be filed on or before:

August 13, 1999

Proof of the application of water to beneficial use shall be filed on or before:

September 13, 1999

Map in support of proof of beneficial use shall be filed on or before:


September 13, 1999

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office,

this 13th day of August, A.D. 1998

R. Michael Turnipseed
State Engineer



Completion of work filed N/A

Proof of beneficial use filed OCT 16 2000

Cultural map filed _____

Certificate No. 15639 Issued JAN 03 2001

