

**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office JUN 22 1998
 Returned to applicant for correction JUL 09 1998
 Corrected application filed JUL 31 1998
 Map filed JUN 22 1998 under 62444

The applicant **Ray Wulfenstein**, hereby make application for permission to change the **Point of Diversion, Place of Use, and Manner of Use of a portion** of water heretofore appropriated under **Permit No. 54405**

1. The source of water is **underground**
2. The amount of water to be changed **.0343 CFS from Permit No. 54405**
3. The water to be used for **Commercial**
4. The water heretofore permitted for **Irrigation**
5. The water is to be diverted at the following point **NE4 SE4 Section 33, Township 20 South, Range 54 East M.D.B.&M. or at a point from which the NE corner of said Section 33 bears N 15°37'00" E a distance of 3575.00'**
6. The existing permitted point of diversion is located within **NE4 NW4 Section 3, Township 20 South, Range 53 East M.D.B.&M. or at a point from which the N4 corner of said Section 3 bears N 45°00'00" E a distance of 100.00'**
7. Proposed place of use **within the NW4 SE4, NE4 SE4 of Section 33, Township 20 South, Range 54 East M.D.B.&M. 4.0 acres, 20.0 acre feet of Permit No. 54405 to be transferred**
8. Existing place of use **within the NE4 SW4, NW4 SW4, Section 3, Township 20 South, Range 53 East M.D.B.&M. 4.0 acres, 20.0 acre feet of Permit No. 54405 to be removed**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **8" well with pump and storage tank**
12. Estimated cost of works **\$20,000.00**
13. Estimated time required to construct works **2 years**
14. Estimated time required to complete the application of water to beneficial use **4 years**
15. Remarks: **Commercial use, Offices, Lanscaping and Trees, 15.85 acre feet to be used annually**

By **Richard L. Hafen, Agent**
 s/Richard L. Hafen Agent
 2383 Gateway Road
 Las Vegas, Nevada 89115

Compared bk/cms dl/cm

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 54405 is issued subject to the terms and conditions imposed in said Permit 54405 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit is issued subject to existing rights. It is This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 64361 and 64245 shall not exceed 39.96 acre-feet annually.

If any water under this permit is cancelled, withdrawn, or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0343 cubic feet per second, **but not to exceed 20.0 acre-feet annually.**

Work must be prosecuted with reasonable diligence and be completed on or before:

January 3, 2001

Proof of completion of work shall be filed before:

February 3, 2001

Water must be placed to beneficial use on or before:

January 3, 2002

Proof of the application of water to beneficial use shall be filed on or before:

February 3, 2002

Map in support of proof of beneficial use shall be filed on or before:


N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 3rd day of, January A.D. 2000


State Engineer

Completion of work filed MAR 06 2003

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____

