

**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office JUL 31 1998

Returned to applicant for correction _____

Corrected application filed _____

Map filed NOV 10 1982 under 46303

The applicant Central Nevada Utilities Company hereby makes application for permission to change the Point of Diversion, Place and Manner of Use of water heretofore appropriated under Permit 62551

1. The source of water is Underground
2. The amount of water to be changed 0.1 c.f.s., 2.02 AFA
3. The water to be used for Municipal
4. The water heretofore permitted for Domestic and Commercial
5. The water is to be diverted at the following point NE1/4 NE1/4 Section 31, T.20S., R.54E., MDM, or at a point from which the NE corner of said Section 31 bears North 45°00' East, 141.1 feet (Well No. 8)
6. The existing permitted point of diversion is located within NE1/4 SE1/4 Section 16, T.20S., R.53E., MDM, or at a point from which the E1/4 corner of said Section 16 bears North 20° 49' 50" East, 798.5 feet
7. Proposed place of use See Attached
8. Existing place of use within the NE1/4 SE1/4 Section 16, T.20S., R.53E., MDM being Lot 3, Block 2 of Bolling Green Acres File No. 16505, Nye County Nevada Records
9. Use will be from January 1 to December 31 of each year.
10. Use was permitted from January 1 to December 31 of each year.
11. Description of proposed works drilled well, pump and motor and distribution system
12. Estimated cost of works existing
13. Estimated time required to construct works existing
14. Estimated time required to complete the application of water to beneficial use 10 years
15. Remarks: This water is being transferred to Central Nevada Utilities Company for service to Shepherd of the Valley Lutheran Church. Use map on file at the Division of Water Resources under Application 62551 to support the existing point of diversion and place of use.

By Bruce R. Scott, Resource Concepts, Inc.
s/ Bruce R. Scott
340 North Minnesota Street
Carson City, Nevada 89703

Compared gkl/cms dl/cmf

Protested _____

64365

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use and manner of use of the waters of an underground source as heretofore granted under Permit 62551 is issued subject to the terms and conditions imposed in said Permit 62551 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The permittee shall report to the State Engineer on a quarterly basis the effect of pumping the well under this permit on other previously existing wells that are located within 2,500 feet of the well under this permit.

Any pumping of water under this permit may be limited or prohibited to prevent any unreasonable adverse effects on an existing domestic well located within 2,500 feet of the well under this permit, unless the holder of this permit and the owner of the domestic well have agreed to alternative measures that mitigate adverse effects.

If any water under this permit is cancelled, withdrawn, or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right.

The total combined duty of water under Permits 38343, 45870, 45892, 45893, 45894, 45895, 45897, 46116, 46117, 46118, 46119, 46304, 46305, 46306, 46307, 46308, 46309, 46310, 46312, 46313, 46314, 46315, 46316, 46317, 46318, 46319, 46320, 46324, 46325, 46326, 46826, 46827, 47074, 47141, 47265, 48497, 49545, 50722, 50804, 50805, 51142, 52128, 52129, 52130, 52131, 52132, 52284, 52285, 52606, 52978, 54357, 54359, 54360, 54361, 55101, 55347, 57877, 57879, 57880, 58626, 58627, 58628, 58629, 58630, 58631, 58632, 58633, 58958, 58959, 60694, 60695, 61064, 61065, 61188, 61968, 61969, 62037, 62038, 62716, 62717, 62726, 62727, 62920, 63500, 63780, 64364, 64365, 64366, 64367, 64615 and 66228 shall not exceed 20,396.07 acre-feet annually.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.1 cubic feet per second, **but not to exceed 2.02 acre-feet annually.**

Work must be prosecuted with reasonable diligence and be completed on or before:

N/A

Proof of completion of work shall be filed before:

N/A

Water must be placed to beneficial use on or before:

February 20, 2012

Proof of the application of water to beneficial use shall be filed on or before:

March 20, 2012

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 13th day of May, A.D. 2002



State Engineer

Completion of work filed March 23, 1999 under 62726

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____