AMENDED

NO. 64437

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office SEP 08 1998

Returned to applicant for correction SEP 25 1998

Corrected application filed NOV 24 1998

Map filed NOV 24 1998

****

The applicant **Smith Valley Baptist Church**, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

****

1. The source of the proposed appropriation is **Underground**

2. The amount of water applied for is **0.02785** second-feet

   (a) If stored in reservoir give number of acre-feet

3. The water to be used for **Commercial and Domestic**

4. If use is for:

   (a) Irrigation, state number of acres to be irrigated

   (b) Stockwater, state number and kinds of animals to be watered

   (c) Other use (describe fully under No. 12. "Remarks")

   (d) Power:
      (1) Horsepower developed

      (2) Point of return of water to stream

5. The water is to be diverted from its source at the following point **in the SW¼ NW¼, Sec. 22, T.11N., R.24E., M.D.B.&M., or at a point from which the W¼ Corner of said Sec. 22 bears S 14° 18' 42" W, a distance of 1007.40 feet.**

6. Place of Use **Lot 8, in the SW Corner of Sierra Desert View Estates, Phase 2A, in the county of Lyon, in a portion of the SW¼ NW¼, Sec. 22 T.11N., R.24E., M.D.B.&M.**

7. Use will begin about **January 1** and end about **December 31** of each year.

8. Description of proposed works **drilled well with pump and motor.**

9. Estimated cost of works **$2,000.00**

10. Estimated time required to construct works **Approximately 1 year.**

11. Estimated time required to complete the application of water to beneficial use **Approximately 3 years after permit.**

12. Remarks: **Water will be used for church use and Landscaping; Annual use will be approximately 657,000 gallons.**

By Bruce L. Rice
Bruce L. Rice - Rice Engineering
4300 Water Canyon Rd. Suite B
Winnemucca, Nevada 89445

Compared my/cms dl/cms

Protested

64437

****

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

This permit is issued only for the amount of water right that was relinquished for Lot 8 within Sierra Desert View Estates Phase 2A, that being 1,800 gallons per day.

This permit will be limited to serve only the church and landscaping up to 1,800 gallons per day.

(CONTINUED ON PAGE 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed **0.02785** cubic feet per second, **but not to exceed 0.657 milliion gallons annually.**

Work must be prosecuted with reasonable diligence and be completed on or before:
March 9, 2000

Proof of completion of work shall be filed before:
April 9, 2000

Application of water to beneficial use shall be filed on or before:
March 9, 2002

Proof of the application of water to beneficial use shall be filed on or before:
April 9, 2002

Map in support of proof of beneficial use shall be filed on or before:
N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E., State Engineer of Nevada, have hereunto set my hand and the seal of my office, this **9th** day of **March**, A.D. **1999**

R. Michael Turnipseed P.E.
State Engineer

Completion of work filed MAR 0 8 2000

Proof of beneficial use filed APR 1 5 2002

Cultural map filed _____

Certificate No. 16089 Issued MAY 1 3 2002