

**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office OCT 27 1998

Returned to applicant for correction _____

Corrected application filed _____

Map filed OCT 16 1998 under 64526

The applicant James M. Hickey, hereby makes application for permission to change the Point of Diversion and Place of Use of a portion of water heretofore appropriated under Permit 30525 - Certificate 10842.

1. The source of water is an underground source.
2. The amount of water to be changed 0.075 CFS not to exceed 8.0 acre feet annually.
3. The water to be used for irrigation and domestic (No Change).
4. The water heretofore permitted for irrigation and domestic.
5. The water is to be diverted at the following point within the NW $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 8, T12N, R20E, MDB&M or at a point from which the NE corner of said Section 8 bears N 72° 18' 50" E. 2182.72 feet.
6. The existing permitted point of diversion is located within the SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 24, T12N, R20E, MDB&M or at a point from which the E $\frac{1}{4}$ corner of said Section 24 bears S 36° 45' E, 1382.5 feet.
7. Proposed place of use 2.0 acres within a portion of the NW $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 8, T12N, R20E, MDB&M, Douglas County, Nevada (APN 27-030-19).
8. Existing place of use 2.0 acres within a portion of the SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 24, T12N, R20E, MDB&M, Douglas County, Nevada (APN 29-450-15, 16 & portions of 17).
9. Use will be from 1 January to 31 December of each year.
10. Use was permitted from 1 January to 31 December of each year.
11. Description of proposed works 8 inch well, submersible pump, pressure tank and a sprinkler irrigation system.
12. Estimated cost of works Approximately \$25,000.
13. Estimated time required to construct works 2 years.
14. Estimated time required to complete the application of water to beneficial use 5 years.
15. Remarks: Please use the map submitted in support of Application 64526 to support this Application.

By B. J. Vasey - Agent
s/B. J. Vasey
Post Office Box 1120
Minden NV 89423

Compared my/cms dl/cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 30525 is issued subject to the terms and conditions imposed in said Permit 30525 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 64526, 64553 and 64652 shall not exceed 24.92 acre-feet annually for the irrigation of 6.331 acres.

This permit is issued as a supplemental source to land allotted water from the Carson River Decree. The yearly duty shall not exceed the greater of 4.0 acre-feet per acre or the decreed amount from any and all sources.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.075 cubic feet per second, **but not to exceed 8.0 acre-feet annually.**

Work must be prosecuted with reasonable diligence and be completed on or before:

April 7, 2001

Proof of completion of work shall be filed before:

May 7, 2001

Water must be placed to beneficial use on or before:

April 7, 2004

Proof of the application of water to beneficial use shall be filed on or before:

May 7, 2004


Map in support of proof of beneficial use shall be filed on or before:

May 7, 2004

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office;

this 5th day of, November A.D. 1999


State Engineer

Completion of work filed MAY 29 2002

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____