Permit No. 65090

THE STATE OF NEVADA

PERMIT TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Name of applicant:	**GLORY TEMPLE CHURCH**
Source:	**UNDERGROUND**
Basin:	**PLEASANT VALLEY**
Manner of Use:	**QUASI-MUNICIPAL**
Period of Use:	**January 1st to December 31st**
Priority Date:	**12/31/1938**

****

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the place and manner of use of the waters of an underground source as heretofore claimed under Proof V09035 is issued with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit to change Claim V09035 is issued subject to any determination of the underground waters of Pleasant Valley, Basin 6-88 that may be made under adjudication proceedings pursuant to NRS 534.100.

The issuance of this permit completely abrogates Claim V09035.

The point of diversion and place of use are as described on the submitted application to support this permit.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 0.012 cubic feet per second or 4.0 acre-feet annually**.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:	**July 22, 2010**
Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:	**July 22, 2012**
Map in support of proof of beneficial use shall be filed on or before:	**N/A**

IN TESTIMONY WHEREOF, I, TRACY TAYLOR, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 22nd day of **July**, A.D. **2008**

for K. Hall P.E.
State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

llb

AMENDED

NO. 65090

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office APR 27 1999

Returned to applicant for correction MAY 12 1999

Corrected application filed JUL 09 1999

Map filed JUL 09 1999

****

The applicant Rev. John D. Foulk, Agent for Glory Temple Church, hereby make application for permission to change the manner of use and place of use of water heretofore appropriated under Proof 09035

****

1. The source of water is underground

2. The amount of water to be changed 0.012 cfs, 8.7 Ac. Ft.

3. The water to be used for Quasi-Municipal

4. The water heretofore permitted for Commercial

5. The water is to be diverted at the following point in the NE¼ of the NW¼ of Section 4, T17N, R20E, MDM from which point the NW corner of said Section 4 bears N 68° 19' W 1693 Feet.

6. The existing permitted point of diversion is located within

7. Proposed place of use a portion of the N½ of the NW¼ of Section 4, T17N, R20E, MDM and being a 14.0 Ac. parcel (APN 45-210-01, Washoe County).

8. Existing place of use a portion of the NE¼ of the NW¼ of Section 4, T17N, R20E, MDM (1.82 Ac.)

9. Use will be from January 1 to December 31 of each year.

10. Use was permitted from January 1 to December 31 of each year.

11. Description of proposed works pump and motor, pressure tanks and distribution lines. All existing except additional line to new church temple.

12. Estimated cost of works $20,000

13. Estimated time required to construct works 24 months

14. Estimated time required to complete the application of water to beneficial use 24 months

15. Remarks: Existing church facility buildings and Pastoral residence together with a church worship service building under construction.

By s/John Devan Foulk
16255 South Virginia Street
Reno NV 89511

Compared my/cmf

Protested

65090

****