



proposed point of diversion. Use maps under Application 64574 to support the proposed place of use, and under Application 59604 to support the existing point of diversion and place of use.

Bruce R. Scott, Resource Concepts, Inc.  
By s/Bruce R. Scott  
340 North Minnesota Street  
Carson City, Nevada 89703

Compared my/bk dl/cmf

Protested \_\_\_\_\_

\*\*\*\*\*

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion of a portion of the waters of an underground source as heretofore granted under Permit 64044 is issued subject to the terms and conditions imposed in said Permit 64044 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 59604, 59605, 59606, 64043, 64044 and 65101 shall not exceed 710.35 acre-feet annually.

If any water under this permit is cancelled, withdrawn, or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.197 cubic feet per second, **but not to exceed 84 acre-feet annually.**

Work must be prosecuted with reasonable diligence and be completed on or before:

**January 6, 2002**

Proof of completion of work shall be filed before:

**February 6, 2002**

Water must be placed to beneficial use on or before:

**January 6, 2003**

Proof of the application of water to beneficial use shall be filed on or before:

**February 6, 2003**


Map in support of proof of beneficial use shall be filed on or before:

**N/A**

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set  
my hand and the seal of my office,

this **12th** day of, **February** A.D. **2001**

  
\_\_\_\_\_  
State Engineer

Completion of work filed **MAR 11 2002**

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed \_\_\_\_\_ **N/A**

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_