
APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the place of use and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 41159, Certificate 13215 is issued subject to the terms and conditions imposed in said Permit 41159, Certificate 13215 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 65105 and 65106 shall not exceed 210.56 acre-feet annually.

If any water under this permit is cancelled, withdrawn, or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.140 cubic feet per second, but not to exceed 83.834 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

N/A

Proof of completion of work shall be filed before:

N/A

Water must be placed to beneficial use on or before:

August 31, 2009

Proof of the application of water to beneficial use shall be filed on or before:

September 30, 2009


Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 31st day of August, A.D. 1999


State Engineer

Completion of work filed _____ filed under Permit 41159

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

RELINQUISHMENT, WITHDRAWAL and ABROGATION TABLE

6-May-99

PLACE OF USE	PERMIT 41157		PERMIT 41158		PERMIT 41159		PERMIT 41160		PERMIT 41161		PERMIT 41162		PERMIT 41163		PERMIT 41164		PERMIT 41167		PERMIT 41170		PERMIT 41171		PERMIT 41172		PERMIT 49838		RELIQ ABROG FOOTNOTE REMAINING				
	Subd	Trp	Rge	Cert	Acres	Cert	Acres																								
NW NE 8 21 54	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	
NE NE 8 21 54	38.80	38.80	38.80	38.80	38.80	38.80	38.80	38.80	38.80	38.80	38.80	38.80	38.80	38.80	38.80	38.80	38.80	38.80	38.80	38.80	38.80	38.80	38.80	38.80	38.80	38.80	38.80	38.80	38.80	38.80	
SW NE 8 21 54	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	
SE NE 8 21 54	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	38.00	
NW SE 8 21 54	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	
NE SE 8 21 54	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	37.00	
SW SE 8 21 54	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	
SE SE 8 21 54	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00
NW NW 9 21 54	35.70	35.70	35.70	35.70	35.70	35.70	35.70	35.70	35.70	35.70	35.70	35.70	35.70	35.70	35.70	35.70	35.70	35.70	35.70	35.70	35.70	35.70	35.70	35.70	35.70	35.70	35.70	35.70	35.70	35.70	
NE NW 9 21 54	35.30	35.30	35.30	35.30	35.30	35.30	35.30	35.30	35.30	35.30	35.30	35.30	35.30	35.30	35.30	35.30	35.30	35.30	35.30	35.30	35.30	35.30	35.30	35.30	35.30	35.30	35.30	35.30	35.30	35.30	
SW NW 9 21 54	36.80	36.80	36.80	36.80	36.80	36.80	36.80	36.80	36.80	36.80	36.80	36.80	36.80	36.80	36.80	36.80	36.80	36.80	36.80	36.80	36.80	36.80	36.80	36.80	36.80	36.80	36.80	36.80	36.80	36.80	
SE NW 9 21 54	36.20	36.20	36.20	36.20	36.20	36.20	36.20	36.20	36.20	36.20	36.20	36.20	36.20	36.20	36.20	36.20	36.20	36.20	36.20	36.20	36.20	36.20	36.20	36.20	36.20	36.20	36.20	36.20	36.20	36.20	
NW NE 9 21 54	12.70	12.70	12.70	12.70	12.70	12.70	12.70	12.70	12.70	12.70	12.70	12.70	12.70	12.70	12.70	12.70	12.70	12.70	12.70	12.70	12.70	12.70	12.70	12.70	12.70	12.70	12.70	12.70	12.70	12.70	
NE NE 9 21 54	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	
SW NE 9 21 54	35.00	35.00	35.00	35.00	35.00	35.00	35.00	35.00	35.00	35.00	35.00	35.00	35.00	35.00	35.00	35.00	35.00	35.00	35.00	35.00	35.00	35.00	35.00	35.00	35.00	35.00	35.00	35.00	35.00	35.00	
SE NE 9 21 54	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	
SW NW 16 21 54	32.10	32.10	32.10	32.10	32.10	32.10	32.10	32.10	32.10	32.10	32.10	32.10	32.10	32.10	32.10	32.10	32.10	32.10	32.10	32.10	32.10	32.10	32.10	32.10	32.10	32.10	32.10	32.10	32.10	32.10	32.10
SE NW 16 21 54	39.10	39.10	39.10	39.10	39.10	39.10	39.10	39.10	39.10	39.10	39.10	39.10	39.10	39.10	39.10	39.10	39.10	39.10	39.10	39.10	39.10	39.10	39.10	39.10	39.10	39.10	39.10	39.10	39.10	39.10	39.10
SW NE 16 21 54	5.30	5.30	5.30	5.30	5.30	5.30	5.30	5.30	5.30	5.30	5.30	5.30	5.30	5.30	5.30	5.30	5.30	5.30	5.30	5.30	5.30	5.30	5.30	5.30	5.30	5.30	5.30	5.30	5.30	5.30	
NW SW 16 21 54	36.00	36.00	36.00	36.00	36.00	36.00	36.00	36.00	36.00	36.00	36.00	36.00	36.00	36.00	36.00	36.00	36.00	36.00	36.00	36.00	36.00	36.00	36.00	36.00	36.00	36.00	36.00	36.00	36.00	36.00	36.00
NE SW 16 21 54	37.10	37.10	37.10	37.10	37.10	37.10	37.10	37.10	37.10	37.10	37.10	37.10	37.10	37.10	37.10	37.10	37.10	37.10	37.10	37.10	37.10	37.10	37.10	37.10	37.10	37.10	37.10	37.10	37.10	37.10	37.10
SW SW 16 21 54	35.10	35.10	35.10	35.10	35.10	35.10	35.10	35.10	35.10	35.10	35.10	35.10	35.10	35.10	35.10	35.10	35.10	35.10	35.10	35.10	35.10	35.10	35.10	35.10	35.10	35.10	35.10	35.10	35.10	35.10	35.10
SE SW 16 21 54	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80
SW NE 17 21 54	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00
SE NB 17 21 54	35.90	35.90	35.90	35.90	35.90	35.90	35.90	35.90	35.90	35.90	35.90	35.90	35.90	35.90	35.90	35.90	35.90	35.90	35.90	35.90	35.90	35.90	35.90	35.90	35.90	35.90	35.90	35.90	35.90	35.90	35.90
NW SE 17 21 54	26.10	26.10	26.10	26.10	26.10	26.10	26.10	26.10	26.10	26.10	26.10	26.10	26.10	26.10	26.10	26.10	26.10	26.10	26.10	26.10	26.10	26.10	26.10	26.10	26.10	26.10	26.10	26.10	26.10	26.10	26.10
NE SE 17 21 54	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20	37.20
SW SB 17 21 54	31.40	31.40	31.40	31.40	31.40	31.40	31.40	31.40	31.40	31.40	31.40	31.40	31.40	31.40	31.40	31.40	31.40	31.40	31.40	31.40	31.40	31.40	31.40	31.40	31.40	31.40	31.40	31.40	31.40	31.40	31.40
SE SE 17 21 54	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40
TOTAL	878.20	878.20	878.20	878.20	878.20																										

1. Cottonwood at Hahn Ranch Phase No. 1
2. Cottonwood at Hahn Ranch Phase No. 2
3. Relinquishment was filed under Permit 41159; withdrawal of supplemental acreage under remaining permits was requested at the same time.
4. Relinquishment was filed under Permit 41162; withdrawal of supplemental acreage under remaining permits was requested at the same time.
5. Change Application 60911 was filed to change 2.12 acres under Permit 41162; withdrawal of supplemental acreage under remaining permits was requested by letter dated July 14, 1999.

The Total Combined Duty for Permits 41157, 41158, 41159, 41160, 41161, 41162, 41163, 41164, 41167, 41169, 41170, 41171, 41172 and 49838 is 2,335.5 acre-feet annually.

The net permitted acreage for all permits equalled 222.2 acres before relinquishments and abrogations. The duty is 4,661.2 acre-feet / acre. Remaining total combined duty equals 1,751.6 acre-feet annually.