

**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office JUL 02 1999

Returned to applicant for correction _____

Corrected application filed _____

Map filed JUL 02 1999

The applicant Juanita K. Hanger and Mark Steven Hanger, hereby make application for permission to change the Place and manner of use of a portion and Point of Diversion of water heretofore appropriated under Permit No. 38968 Certificate No. 10427

1. The source of water is underground
2. The amount of water to be changed 28.38 AFA, or 7.095 Acres
3. The water to be used for Quasi Municipal
4. The water heretofore permitted for Irrigation
5. The water is to be diverted at the following point in the NE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 30, T.18N., R.25E., M.D.B.&M., or at a point from which the NE corner of said Section 30 bears N. 80⁰ 38' 32" E. a distance of 802.00 feet.
6. The existing permitted point of diversion is located within NW $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 32, T.17N., R.25E., M.D.B.&M., or at a point from which the NW corner of said Section 32 bears N. 38⁰ 18' 31" W. a distance of 1640.50 feet.
7. Proposed place of use 5.710 Acres (22.84 AFA) in a portion of the NE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 24, T.18N., R.24E., M.D.B.&M. (Lots 1, 2, 3, 4, 7 and 8 of Lincoln Highway Estates, and 1.385 Acres (5.54 AFA) in a portion of the SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 24, T.18N., R.24E., M.D.B.&M. (Parcel "A" of PM 53388 and Parcel "A" of PM 47665, Total: 7.095 Ac., 28.38 AFA.
8. Existing place of use In a portion of the NW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 32, T.17N., R.25E., M.D.B.&M. 7.095 Ac. to be removed, 30.305 Ac. remaining.
9. Use will be from January 1 to December 31 of each year.
10. Use was permitted from January 1 to December 31 of each year.
11. Description of proposed works Existing well, new pipe lines to places of use.
12. Estimated cost of works \$60,000.
13. Estimated time required to construct works 4 years
14. Estimated time required to complete the application of water to beneficial use 5 years

15. Remarks: 10 offices, 1 minimart, 2-4 plex apartments.
19.60 AFA, 1.62 AFA, 7.16 AFA.

By Ernest E. Muller, Sr. SWRS 702
s/Ernest E. Muller
750 W. Pueblo St.
Reno, NV., 89509

Compared my/cmf hs/cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use, and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 38968, Certificate 10427 is issued subject to the terms and conditions imposed in said Permit 38968, Certificate 10427 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

If any water under this permit is cancelled, withdrawn, or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.2 cubic feet per second, **but not to exceed 28.38 acre-feet annually.**

Work must be prosecuted with reasonable diligence and be completed on or before:

N/A

Proof of completion of work shall be filed before:

N/A

Water must be placed to beneficial use on or before:

January 14, 2004

Proof of the application of water to beneficial use shall be filed on or before:

February 14, 2004

Map in support of proof of beneficial use shall be filed on or before:


N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 14th day of, January A.D. 2000



State Engineer

Completion of work filed under 60749 (07/30/96)

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____