

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office JUL 23 1999

Returned to applicant for correction SEP 28 1999

Corrected application filed \_\_\_\_\_

Map filed \_\_\_\_\_

\*\*\*\*\*

The applicant **TRI Water and Sewer Company**, hereby make application for permission to change the **Point of Diversion** of water heretofore appropriated under **Permit No. 62263**

\*\*\*\*\*

1. The source of water is **Underground**
2. The amount of water to be changed **0.75 cfs**
3. The water to be used for **Quasi-Municipal (Industrial)**
4. The water heretofore permitted for **Quasi-Municipal (Industrial)**
5. The water is to be diverted at the following point **SW¼ NW¼ Sec. 11 T.19N, R.22E, MDM**  
**Please see remarks regarding supporting map.**
6. The existing permitted point of diversion is located within **SE¼ NW¼ Sec. 2 T.19N, R.22E, MDM** or at a point from which the Northwest corner of Section 2 T.19N, R.22E, MDM, bears **N 55°12'55" W** a distance of **3,147.06'** Supporting map filed under Application No. 62260
7. Proposed place of use **Same as Existing.**
8. Existing place of use **SW¼ Sec. 32 lying South of the Southern Pacific Railroad, S½ of the SE¼ Sec. 32, S½ of Se. 33, S½ Sec. 34, Sec. 36 T.20N, R.22E, MDM and Sections 1, 2, 3, 4, 5, 9, 10, 11, 12, 13, 14, 15, 16, N½ Sec. 23 and N½ Sec. 24 T.19N, R.22E, MDM and the S½ Sec. 29, S½ Sec. 30, Sec. 31 and 32 T.20N, R.23E, MDM and Sections 5, 6, 7, 8, W½ Sec. 9, W½ Sec. 16, Sec. 17, 18, 19, 20, 21, and the W½ Sec. 22 T.19N, R.23E, MDM**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **Complete well, install pump, motor, distribution of pipe and mains and storage tank.**
12. Estimated cost of works **\$150,000.00**
13. Estimated time required to construct works **Two years.**
14. Estimated time required to complete the application of water to beneficial use **Ten years.**
15. Remarks: **For the purpose of serving an industrial, commercial and warehouse complex and other uses within the place of use. Demand is estimated at 0.75 cfs. Supporting map is being prepared for the proposed Point of Diversion (Item 5).**

By **s/illegible**  
**9475 Double R. Blvd., Ste. 11**  
**Reno, NV 89511**

Compared cmf/-bk

Protested \_\_\_\_\_

**CANCELLED NOV 30 1999** BECAUSE OF  
 FAILURE TO REFILE CORRECTED APPLICATION MAP  
 WITHIN STATUTORY TIME  
*[Signature]*  
 STATE ENGINEER *cmf*

\*\*\*\*\*

