

15. Remarks: This application to change the point of diversion of waters heretofore appropriated under Permit No. 60767 moves the entire allotment from Well 21 to Well 88 due to supply redistribution.

By s/ David A. Donnelly, P.E.,
David A. Donnelly, P.E., N.S.W.R.S., No. 880
1001 South Valley View Blvd.
Las Vegas, Nevada 89153

Compared gkl/cmf hs/cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion of the waters of an underground source as heretofore granted under Permit 60767 is issued subject to the terms and conditions imposed in said Permit 60767 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Any well drilled under Permit 60767 shall be plugged in accordance with the Nevada Administrative Code, Chapter 534.420, "Regulations for Water Well and Related Drilling" within 60 days from the issuance of this permit.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.014 cubic feet per second, **but not to exceed 10.0 acre-feet annually.**

Work must be prosecuted with reasonable diligence and be completed on or before:
N/A

Proof of completion of work shall be filed before:
N/A

Water must be placed to beneficial use on or before:
January 31, 2002

Proof of the application of water to beneficial use shall be filed on or before:
March 1, 2002

Map in support of proof of beneficial use shall be filed on or before:
N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 31st day of, January A.D. 2000

R. Michael Turnipseed, P.E.

State Engineer

Completion of work filed under 58535 (07/26/96)

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____

~~CANCELLED~~ **MAY 23 2003** BECAUSE OF FAILURE
OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT
Turnipseed, P.E. STATE ENGINEER
Can. Rescinded 9-10-03

