

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office DEC 21 1999

Returned to applicant for correction JAN 21 2000

Corrected application filed \_\_\_\_\_

Map filed JAN 26 2000

\*\*\*\*\*

The applicant **BENTLY - BUCKEYE RANCH** hereby makes application for permission to change the **POINT OF DIVERSION AND PLACE OF USE OF A PORTION** of water heretofore appropriated under **PERMIT 51330**

\*\*\*\*\*

1. The source of water is **AN UNDERGROUND SOURCE**
2. The amount of water to be changed **0.0111 CFS NOT TO EXCEED 2,620,000 GALLONS ANNUALLY**
3. The water to be used for **QUASI-MUNICIPAL & DOMESTIC (No change)**
4. The water heretofore permitted for **QUASI-MUNICIPAL & DOMESTIC**
5. The water is to be diverted at the following point within the **SW¼ NW¼ of Section 20, T13N, R20E, MDB&M** or at a point from which the **NE corner of said Section 20 bears N 66° 57' E, 5225 feet.**
6. The existing permitted point of diversion is located within the **NE¼ SW¼ of SECTION 27, T13N, R20E, MDB&M** or at a point from which the **SW corner of Section 34, T13N, R20E, MDB&M bears S 15° 16' W, a distance of 7838.0 feet**
7. Proposed place of use **PORTIONS OF THE NW¼ NE¼, NE¼ NE¼, SW¼ NE¼, AND THE SE¼ NE¼ of SECTION 19, T13N, R20, MDB&M**
8. Existing place of use **PORTIONS OF THE NW¼ NW¼, NE¼ NW¼, SW¼ NW¼, SE¼ NW¼, NW¼ NE¼, SW¼ NE¼, NW¼ SW¼, NE¼ SW¼ AND SE¼ SW¼ OF SECTION 27, T13N, R20E, MDB&M**
9. Use will be from **1 JANUARY to 31 DECEMBER** of each year.
10. Use was permitted from **1 JANUARY to 31 DECEMBER** of each year.
11. Description of proposed works **DRILLED AND CASED WELL, SUBMERSIBLE PUMP, PRESSURE TANKS AND DISTRIBUTION SYSTEM**
12. Estimated cost of works **APPROXIMATELY \$25,000.**
13. Estimated time required to construct works **6 MONTHS**
14. Estimated time required to complete the application of water to beneficial use **5 YEARS**
15. Remarks: **The water being requested is to be used in the new horse facility presently being constructed at the NE Corner of US 395 and Stockyard Road. It is estimated that the facility**

will use 4,200,000 gallons annually. Please use the map filed under 42190 to show the existing point of diversion and place of use.

By **B.J. VASEY**  
 s/ **B.J. VASEY**  
**P.O. Box 1120**  
**Minden, NV 89423**

Compare gkl/cmf      hf/cmf

Protested \_\_\_\_\_

\*\*\*\*\*

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 51330 is issued subject to the terms and conditions imposed in said Permit 51330 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030.

The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The issuance of Permit 65743 reduces the total combined duty of water under Permits 47608, 47609, 51330, and 65222 to 107.0 million gallons annually.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0111 cubic feet per second, **but not to exceed 2.62 million gallons annually.**

Work must be prosecuted with reasonable diligence and be completed on or before:

January 3, 2001

Proof of completion of work shall be filed before:

February 3, 2001

Water must be placed to beneficial use on or before:

January 3, 2002

Proof of the application of water to beneficial use shall be filed on or before:

February 3, 2002


Map in support of proof of beneficial use shall be filed on or before:


N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set  
my hand and the seal of my office,

this 27th day of, June A.D. 2000

  
State Engineer



Completion of work filed JAN 25 2001

Proof of beneficial use filed FEB 20 2002

Cultural map filed N/A

Certificate No. 16073 Issued MAY 06 2002

