

AMENDED

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office DEC 27 1999

Returned to applicant for correction JAN 13 2000

Corrected application filed JAN 20 2000

Map filed JAN 20 2000 under 65752

The applicant **SNYDER LIVESTOCK COMPANY**, hereby make application for permission to change the **PLACE OF USE** of water heretofore appropriated under **PERMIT NO. 51938 - CERTIFICATE NO. 13148**

1. The source of water is **UNDERGROUND**
2. The amount of water to be changed **1572.00 AC. FT. - 3.75 C.F.S.**
3. The water to be used for **IRRIGATION AND DOMESTIC USE**
4. The water heretofore permitted for **IRRIGATION AND DOMESTIC USE**
5. The water is to be diverted at the following point **NO CHANGE - SAME AS EXISTING**
6. The existing permitted point of diversion is located within **SE SW SECTION 10 T12N, R25E, MDM, OR AT A POINT FROM WHICH THE SW CORNER OF SAID SECTION 10, BEARS S 88° 54' W, A DISTANCE OF 2630.00 FEET. REFER TO SUPPORTING MAP FILED UNDER PERMIT NO. 51938 - CERTIFICATE NO. 13148.**
7. Proposed place of use **SEE ATTACHMENT**
8. Existing place of use **20.00 ACRES IN THE SW SW SECTION 3 T12N, R25E, MDM, 19.00 ACRES IN THE NW SE, 30.00 ACRES IN THE SW SE, 40.00 ACRES IN THE NE SE AND 40.00 ACRES IN THE SE SE SECTION 4 T12N, R25E, MDM, 30.00 ACRES IN THE NW NE, 31.00 ACRES IN THE SW NE, 40.00 ACRES IN THE NE NE, 40.00 ACRES IN THE SE NE, 30.00 ACRES IN THE NW SE AND 40.00 ACRES IN THE NE SE SECTION 9 T12N, R25E, MDM AND 33.00 ACRES IN THE NW NW SECTION 10 T12N, R25E, MDM. TOTAL ACRES 393.00**
9. Use will be from **JANUARY 1 to DECEMBER 31** of each year.
10. Use was permitted from **MARCH 1 to NOVEMBER 30** of each year.
11. Description of proposed works **EXISTING**
12. Estimated cost of works **EXISTING**
13. Estimated time required to construct works **EXISTING**
14. Estimated time required to complete the application of water to beneficial use **5 YEARS**
15. Remarks:

s/Dennis Brazzanovich
By **DENNIS BRAZZANOVICH**
5405 Mac Anne Avenue
Reno, NV 89523

Compared my/cm f ds/cm f

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the place and manner of use of the waters of an underground source as heretofore granted under Permit 51938, Certificate 13148, is issued subject to the terms and conditions imposed in said Permit 51938, Certificate 13148, and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 65754, 65755, 66831, and 66832 and any waters of the Walker River Decree and any storage water appurtenant to the place of use shall not exceed 3,444.4 acre-feet per year for the irrigation of 861.1 acres within the proposed place of use. The permittee is responsible for insuring delivery of the entitled decreed and storage waters that are supplemental to these permits. In any year that the Walker River Irrigation District declares a full allocation of decreed waters to the priority years of C-125 claims supplemental to these permits, underground water shall not be pumped from the wells described in these permits. In any year that the Walker River Irrigation District has no decreed or storage water, or declares a reduced allocation of surface waters to the priority years of C-125 claims supplemental to these permits, then the place of use of the permits can be irrigated with underground water, but not to exceed a duty of 4 acre-feet per acre per year from the total of decreed, storage, and underground waters.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 3.75 cubic feet per second, but not to exceed 1,572 acre-feet annually, and not to exceed a yearly duty of 4.0 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and be completed on or before:

August 10, 2002

Proof of completion of work shall be filed before:

September 10, 2002

Water must be placed to beneficial use on or before:

August 10, 2006

Proof of the application of water to beneficial use shall be filed on or before:

September 10, 2006

Map in support of proof of beneficial use shall be filed on or before:

September 10, 2006


IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 10th day of, August A.D. 2001

Hugh Ricci

State Engineer



Completion of work filed _____


SEP 09 2002

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____

Issued _____



AMENDED ATTACHMENT

ITEM NO. 7 - PROPOSED PLACE OF USE

SECTION	SUBDIVISION	TOWNSHIP	RANGE	ACREAGE	CULTURE
2	SW SW	T12N	R25E		
3	NE NW	T12N	R25E		
3	SE NW	T12N	R25E		
3	NW SE	T12N	R25E		
3	NE SE	T12N	R25E		
3	SE SE	T12N	R25E		
3	SW SE	T12N	R25E		
3	NW SW	T12N	R25E		
3	NE SW	T12N	R25E		
3	SW SW	T12N	R25E		
4	NW SE	T12N	R25E		
4	NE SE	T12N	R25E		
4	SE SE	T12N	R25E		
4	SW SE	T12N	R25E		
9	NW NE	T12N	R25E		
9	NE NE	T12N	R25E		
9	SE NE	T12N	R25E		
9	SW NE	T12N	R25E		
9	NW SE	T12N	R25E		
9	NE SE	T12N	R25E		
9	SE SE	T12N	R25E		
10	NW NW	T12N	R25E		
10	SW NW	T12N	R25E		
10	NW NE	T12N	R25E		
10	NE NE	T12N	R25E		
10	SE NE	T12N	R25E		
10	SW NE	T12N	R25E		
10	NW SW	T12N	R25E		
10	NE SW	T12N	R25E		
10	SE SW	T12N	R25E		
10	SW SW	T12N	R25E		
15	SW NW	T12N	R25E		
15	SE NW	T12N	R25E		
15	NW SE	T12N	R25E		
15	NW SW	T12N	R25E		
15	NE SW	T12N	R25E		

~~THE FOLLOWING INFORMATION IS FOR YOUR INFORMATION ONLY~~

APPLICATION NOS. 65687,
65752, 65753, 65754,
& 65755



SHEET

OF

